

Luke II™ Multi-space Pay Station

LUKE II Specifications

Cabinet:	12-gauge cold rolled steel protected with an anti-corrosion coating
Payment Options:	Coins, bills, credit cards, contactless payments, smart cards, value cards, campus cards, coupons, Pay-by-Phone services. Coin escrow optional
Card Reader:	Cards are not ingested – no moving parts. Reads Tracks 1, 2, and 3 of all magnetic stripe cards conforming to ISO 7810 and 7811. Reads and writes to chip-based smart cards conforming to ISO 7810 and 7816
Bill Stacker:	1,000-bill capacity (U.S. only)
Printer:	2" receipt width
Display:	Color backlit LCD with 640 x 480 resolution
Keypad:	38-key alphanumeric with tactile buttons
Locks:	Can be re-keyed twice without removal of lock cylinder. Electronic locks optional
Access:	Separate compartments for maintenance and collections
Communications Options:	GSM/GPRS, CDMA, Ethernet
Environmental Requirements:	-40°F to +140°F (-40°C to +60°C)* Relative humidity: up to 95%
Power:	120 V AC. Slimline solar panel optional
Operational Modes:	Pay-and-Display, Pay-by-Space, Pay-by-License Plate
Multilingual Support:	Up to four languages using roman or non-roman characters
Audible Alarm:	Senses shock and vibration
Color:	Charcoal gray. Additional colors optional
Standards:	UL/CSA approved, ADA compliant, PCI compliant, PA-DSS validated

*Using separately purchased heater/insulator option. Low end of range is -4°F (-20°C) ambient without heater/insulator option.



Standard



Charcoal
Gray

Premium



Jet
Black



Pebble
Gray



Racing
Green



Marine
Blue



Citrus
Yellow