

## Craig, Sondra

---

**From:** Dale Hewitt <DHewitt@lacrossecounty.org>  
**Sent:** Monday, July 1, 2024 12:56 PM  
**To:** Dunnum, Scott; Craig, Sondra; Coman, Kyle; Bryan Meyer  
**Subject:** RE: For Review: CSM - City of La Crosse Wastewater Treatment Plant

\*\*\* **CAUTION:** This email originated from an external sender. **DO NOT** click links or open attachments unless you recognize the sender and know the content is safe. \*\*\*

Good afternoon Scott,

Thank you for the heads up. I checked the distances and agree with your distances.

Thank you,

Dale

*Dale E. Hewitt*

La Crosse County Assistant County Surveyor  
212 6<sup>th</sup> Street North, Room 1200  
La Crosse, Wisconsin 54601  
Phone 608-785-9626

---

**From:** Dunnum, Scott <dunnums@cityoflacrosse.org>  
**Sent:** Monday, July 1, 2024 12:47 PM  
**To:** Craig, Sondra <craigs@cityoflacrosse.org>; Coman, Kyle <comank@cityoflacrosse.org>  
**Cc:** Dale Hewitt <DHewitt@lacrossecounty.org>  
**Subject:** RE: For Review: CSM - City of La Crosse Wastewater Treatment Plant

You don't often get email from [dunnums@cityoflacrosse.org](mailto:dunnums@cityoflacrosse.org). [Learn why this is important](#)

Sorry, Dale

I have adjusted the distances. (692'± /998'± ) Also the distance from the NW meander corner to the OHWM changed to 12'± .

Scott

---

**From:** Craig, Sondra <craigs@cityoflacrosse.org>  
**Sent:** Friday, June 28, 2024 11:58 AM  
**To:** Coman, Kyle <comank@cityoflacrosse.org>; Dunnum, Scott <dunnums@cityoflacrosse.org>  
**Subject:** Fwd: For Review: CSM - City of La Crosse Wastewater Treatment Plant

Comments from the County Surveyor's office are below.

Get [Outlook for Android](#)

**From:** Dale Hewitt <[DHewitt@lacrossecounty.org](mailto:DHewitt@lacrossecounty.org)>  
**Sent:** Friday, June 28, 2024 11:51:41 AM  
**To:** Craig, Sondra <[craigs@cityoflacrosse.org](mailto:craigs@cityoflacrosse.org)>; Bryan Meyer <[bmeyer@lacrossecounty.org](mailto:bmeyer@lacrossecounty.org)>  
**Subject:** RE: For Review: CSM - City of La Crosse Wastewater Treatment Plant

\*\*\* **CAUTION:** This email originated from an external sender. **DO NOT** click links or open attachments unless you recognize the sender and know the content is safe. \*\*\*

Good afternoon Sondra,

Please verify the overall north and south line distances. (700'±/1003'±)

Thank you,

Dale

***Dale E. Hewitt***

La Crosse County Assistant County Surveyor  
212 6<sup>th</sup> Street North, Room 1200  
La Crosse, Wisconsin 54601  
Phone 608-785-9626

---

**From:** Craig, Sondra <[craigs@cityoflacrosse.org](mailto:craigs@cityoflacrosse.org)>  
**Sent:** Thursday, June 27, 2024 8:42 AM  
**To:** Dale Hewitt <[DHewitt@lacrossecounty.org](mailto:DHewitt@lacrossecounty.org)>; Bryan Meyer <[bmeyer@lacrossecounty.org](mailto:bmeyer@lacrossecounty.org)>  
**Subject:** RE: For Review: CSM - City of La Crosse Wastewater Treatment Plant

Good morning,

Attached is a revised CSM that I received yesterday. Please let me know if you approve or have any comments.

Thank you,

**SONDRA CRAIG**  
**Deputy City Clerk**  
City Clerk's Office  
City of La Crosse  
400 La Crosse Street  
La Crosse WI 54601

[craigs@cityoflacrosse.org](mailto:craigs@cityoflacrosse.org)

Direct: 608.789.7549 | Office: 608.789.7510

Visit the City Clerk webpage: <https://www.cityoflacrosse.org/your-government/departments/city-clerk>

***City Clerk's Office hours:***

***8:00 a.m. to 4:30 p.m., Monday through Thursday***

***8:00 a.m. to 2:00 p.m., Fridays (May - July)***

***Public Service (walk in) hours 8:00 a.m. to 4:00 p.m. Monday through Thursday in the City Hall Lobby***

---

**From:** Craig, Sondra  
**Sent:** Monday, June 17, 2024 8:41 AM  
**To:** Hewitt, Dale <[DHewitt@lacrossecounty.org](mailto:DHewitt@lacrossecounty.org)>; Meyer, Brandon <[bmeyer@lacrossecounty.org](mailto:bmeyer@lacrossecounty.org)>  
**Subject:** For Review: CSM - City of La Crosse Wastewater Treatment Plant

Good morning,

Attached for your review is a CSM for lands at the City of La Crosse Wastewater Treatment Plant. Scott Dunnum is the surveyor and will provide a signed/sealed copy once final review has been completed.

This CSM will go through the July City meetings (CPC, J&A, Council) as it will need approval for waiving the platting requirements. Please let me know if you approve or have any comments.

Thank you,

**SONDRA CRAIG**  
**Deputy City Clerk**  
City Clerk's Office  
City of La Crosse  
400 La Crosse Street  
La Crosse WI 54601

[craigs@cityoflacrosse.org](mailto:craigs@cityoflacrosse.org)

Direct: 608.789.7549 | Office: 608.789.7510

Visit the City Clerk webpage: <https://www.cityoflacrosse.org/your-government/departments/city-clerk>

***City Clerk's Office hours:***

***8:00 a.m. to 4:30 p.m., Monday through Thursday***

***8:00 a.m. to 2:00 p.m., Fridays (May - July)***

***Public Service (walk in) hours 8:00 a.m. to 4:00 p.m. Monday through Thursday in the City Hall Lobby***

PRIVATE AND CONFIDENTIAL

This e-mail and attachments are intended for the addressed recipient only. If you are not the correct recipient please notify the sender of the delivery error and delete this message. Improper disclosure, copying, distribution, retransmission, or use of information from this e-mail is Prohibited, and may result in liability and damages for misuse of this information.