metronet

ALL MATERIAL SHALL BE INSTALLED BY THE CONTRACTOR, UNLESS STATED OTHERWISE.

TASK NAME: WILC004-U-S3

TASK DESCRIPTION: FIBER OPTIC CONDUIT PLACEMENT

SITE LOCATION: LACROSSE, WI, USA

metronet

3701 COMMUNICATIONS WAY
EVANSVILLE, IN, 47715



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

	PROJECT INFORMATION	SITE LOCATION MAP	1
TASK NAME:	WILCO04-U-S3		REV DATE DESCRIPTION BY A 03/01/24 ISSUED FOR REVIEW SN
TASK DESCRIPTION:	FIBER OPTIC CONDUIT PLACEMENT	Mack2STEAM 8 Birch St	B 06/12/24 REVISED BP
SITE LOCATION:	LACROSSE, WI, USA	High Roller Skating Profession (a)	
SITE TYPE:	UNDERGROUND FIBER-OPTIC CONSTRUCTION	Center of La Crosse Powersontris	L HEREDY CEDTLEY THAT THESE DRAWINGS WEDE
JURISDICTION: APN:	LACROSSE, WI, USA	Elementary School	I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.
ZONING CLASSIFICATION: OCCUPANCY TYPE: CONSTRUCTION TYPE:	- - - -	WORK AREA	THE REQUIREMENTS OF ALL APPLICABLE CODES.
APPLICANT: ADDRESS:	METRO FIBERNET, LLC 3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715	Smoke 4 Less Lax. Shepping Center Breathight Breathig	
CONTACT: PHONE: EMAIL:	TARAN WELCHLIN (608) 606-2043 TARAN.WELCHLIN@METRONET.COM	St. Vallerie Apartments St. Vallerie Apartments Greenhills PL Welch, Juniper Partners & Frank Tracts	
<u>NOTE:</u> DRAWING S	CALES ARE FOR 11"x17" SHEETS UNLESS OTHERWISE NOTED	Mater Redemotoris	
	PROJECT CONSULTANTS	House of Formation Shelby Rd	
PROJECT MANAGER: ADDRESS:	FULLERTON ENGINEERING CONSULTANTS, LLC 1100 E. WOODFIELD ROAD, SUITE 500	Thompson Animal W Burr Oak St - Medical Center	TASK NAME
CONTACT: PHONE: EMAIL:	MICHELLE KAMINSKI (616) 262—5967 MKAMINSKI@FULLERTONENGINEERING.COM	W Burr Oak St - Medical Center W Walmart Money Center Q J Tri-State Home 6	WILC004-U-S3
ENGINEER: ADDRESS:	FULLERTON ENGINEERING CONSULTANTS, LLC 1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173	Boschert St 2	TASK DESCRIPTION FIBER OPTIC CONDUIT
EOR: PHONE: EMAIL:	DAN SMITH, P.E. 847—908—8521 DSMITH@FULLERTONENGINEERING.COM	All star Levy Ln	PLACEMENT PROJECT AREA
POWER COMPANY: PHONE:		S. Adrigues	LACROSSE, WI, USA
TELEPHONE COMPANY: PHONE:		Security Self Storage	SHEET SCALE
	SCOPE OF WORK	Wik TRIP #750 C	N.T.S.
THE SCOPE OF WORK CO INSTALLATION OF: • 3,592' OF UNIQUE CON • 6,731' OF 1.25" CONDU • (2) L-HANDHOLE 30X48	INSTALLATION OF: DUIT IT DIRECTIONAL BORE • APPROX. 5,753' OF AERIAL FIBER	N Marion & Clayton E Johnson Park	SHEET TITLE TITLE SHEET
(0) M-HANDHOLE 24X3 (1) B-HANDHOLE 17X3((1) TB- HANDHOLE 13X (6) DB- HANDHOLE 11X	6X18 • APPROX. 2,727' OF 48CT FIBER 0X18(UTILITY BOX) 24X15(TERMINAL BOX)	Sherwood Park O Nicolai Apartments	GRID NUMBER
		Scanlett Dr 9 Micolai Apartments	SHEET NUMBER

NO SCALE

		1 [7		
SHEET	SHEET TITLE	SHEET	SHEET TITLE	SHEET	SHEET TITLE	
NUMBER		NUMBER	2	NUMBER		metronet
T-1	TITLE SHEET					3701 COMMUNICATIONS WAY
T-2	SHEET INDEX					EVANSVILLE, IN, 47715
T-3	LEGEND					
GN-1	GENERAL NOTES					
MAP-1	MAP					l Fullertøn
C-001	DESIGN LAYOUT					DESIGN DEVELOP CONSTRUCT
C-002	DESIGN LAYOUT					1 100 E. WOODFIELD ROAD, SUITE 500
C-003	DESIGN LAYOUT					1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11
C-004	DESIGN LAYOUT					COA# 3620-11 www.fullerton-us.com
C-005	DESIGN LAYOUT					
C-006	DESIGN LAYOUT					
C-007	DESIGN LAYOUT					
C-008	DESIGN LAYOUT					
C-009	DESIGN LAYOUT					
C-010	DESIGN LAYOUT					
C-011	DESIGN LAYOUT					DEV DATE DESCRIPTION OF
C-012	DESIGN LAYOUT					REV DATE DESCRIPTION BY A 03/01/24 ISSUED FOR REVIEW SN
C-013	DESIGN LAYOUT					B 06/12/24 REVISED BF
C-014	DESIGN LAYOUT					
C-015	DESIGN LAYOUT					
C-016	DESIGN LAYOUT					LIEBERY CERTIES THAT THESE DRAWINGS WERE
C-017	DESIGN LAYOUT					I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL. AND TO THE BEST
C-018	DESIGN LAYOUT					SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES
D-1	DETAILS					
D-2	DETAILS					
D-3	DETAILS					
D-4	DETAILS					
TCP-1	TRAFFIC CONTROL STANDARD					
]		
						TASK NAME
]		
						WILC004-U-S3
				1		TASK DESCRIPTION
				1		FIBER OPTIC CONDUIT
				1		PLACEMENT
				1		PROJECT AREA
				1		LACROSSE, WI, USA
				1		
				1		SHEET SCALE
				1		N.T.S.
				1		SHEET TITLE
				1		
				1		SHEET INDEX
				†		GRID NUMBER
				1		STAD HOMBEN
				1		
				1		SHEET NUMBER
		l L		J		T-2
						PROJECT# 2023.0119.0017

LEGEND

	metronet 3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715
ILE	FUILE CONSTRUCT 1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com
	REV
Ξ	I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.
	TASK NAME
	WILC004-U-S3 TASK DESCRIPTION FIBER OPTIC CONDUIT PLACEMENT
	PROJECT AREA LACROSSE, WI, USA
	SHEET SCALE N.T.S. SHEET TITLE
	LEGEND GRID NUMBER
	SIND NUMBER

COMMUNICATIONS

COMMUNICATIONS					
ATT	EXISTING AT&T			EXISTING AT&T MANHOLE	
——————————————————————————————————————	EXISTING AT&T (ABANDON)		(A)	EXISTING AT&T WANTIOLE	
——со——	EXISTING COMMUNICATIONS		<u>©</u>	EXISTING COMMUNICATIONS MANHOLE	
MCI	EXISTING MCI		MC	EXISTING MCI	
	EXISTING SPRINT		(SP)	EXISTING SPRINT/NEXTEL MANHOLE	
sn	EXISTING SUNESYS		(SN)	EXISTING SUNESYS MANHOLE	
VZ	EXISTING VERIZON		(VZ)	EXISTING VERIZON MANHOLE	
— UF —— — —	EXISTING CITY FIBER				
		MISCELLANEOUS			

x	EXISTING FENCE	?	EXISTING MISCELLANEOUS MANHOLE
	EXISTING CONSTRUCTION FENCE	G	EXISTING GARBAGE CAN
o	EXISTING GUARDRAIL		EXISTING PARK DISTRICT MANHOLE
R/W	EXISTING PROPERTY LINE/ R.O.W.	M	EXISTING MONITORING WELL
4— •	EXISTING BIKE RACK	F	EXISTING FIRE ALARM
	EXISTING TREE	P	EXISTING STREET PARKING PAY BOX
0	EXISTING BUSH		EXISTING PEDESTAL
- 0	EXISTING STREET SIGN POST	M	EXISTING MAILBOX
₿	EXISTING POST/BOLLARD	N	EXISTING NEWSPAPER BOX
¤	EXISTING GROUND LIGHT		EXISTING PHONE
* O*	EXISTING UTILITY POLE	S	EXISTING SPRINKLER CONTROL BOX
Q	EXISTING STANDPIPE	S	EXISTING SPRINKLER VALVE
ADA	EXISTING ADA RAMP	H	EXISTING SUPPORT COLUMN

Ε	EXISTING WATER CAP	▶	EXISTING WATER REDUCER
		GAS	
G	EXISTING GAS MAIN	\otimes	EXISTING GAS MANHOLE
——————————————————————————————————————	EXISTING GAS MAIN (DEAD)	\otimes	EXISTING GAS VALVE
	EXISTING GAS CAP	\boxtimes	EXISTING GAS METER
\triangleright	EXISTING GAS REDUCER		

PROPOSED

<u>SEWER</u>

WATER

PROPOSED OPEN CUT TRENCH

PROPOSED DIRECTIONAL BORE

PROPOSED L-HANDHOLE(30X48X24)

EXISTING SEWER MAIN (ABANDON)

EXISTING STORM SEWER MAIN

EXISTING STORM MANHOLE

EXISTING WATER MAIN

EXISTING WATER SHUT OFF

EXISTING FIRE CISTERN MANHOLE

PROPOSED BORE PIT

EXISTING SEWER MAIN

PROPOSED AERIAL FIBER

HH

В

ТВ

DB

S

(W)

PROPOSED M-HANDHOLE(24X36X18)

PROPOSED B-UTILITY BOXES(17X30X18)

PROPOSED TERMINAL BOXES(13X24X15)

PROPOSED DROP BOXES(11X11X12)

EXISTING SEWER MANHOLE

EXISTING WATER MANHOLE

EXISTING WATER VALVE

EXISTING WATER METER

EXISTING FIRE HYDRANT

EXISTING SEWER INLET

EXISTING SEWER CATCH BASIN

DEO/ELECTRIC					
——E——	EXISTING DEO/ELECTRIC	- \$\dot	EXISTING STREET LIGHT POLE		
SLC	EXISTING STREET LIGHT CONTROL BOX	- \$\dot	EXISTING TRAFFIC LIGHT POLE		
TLC	EXISTING TRAFFIC LIGHT CONTROL BOX	· ¢ -	EXISTING DEO POLE		
	EXISTING STREET LIGHT HANDHOLE	E	EXISTING ELECTRIC MANHOLE		
T	EXISTING TRAFFIC LIGHT HANDHOLE	0	EXISTING ELECTRIC HANDHOLE		
(C)	EXISTING RED LIGHT CAMERA POLE	(F)	EXISTING RED LIGHT FLASH POLE		

SHEET NUMBER

T-3

- 1. THE ENCLOSED DESIGN MAY IMPLY EXISTING UTILITIES. THE UTILITIES HAVE NOT BEEN FIELD VERIFIED FOR LOCATION. THEREFORE, ALL UTILITIES IMPLIED WITHIN THIS DOCUMENT ARE TO BE REFERRED TO AS A "REFERENCE TOOL". IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR AND/OR IT'S SUBCONTRACTOR TO VERIFY THESE UTILITIES USING ANY AND ALL METHODS AND INSTRUMENTS AVAILABLE IF/WHEN NECESSARY. FULLERTON CANNOT IN GOOD FAITH GUARANTEE UTILITY LOCATIONS. ANY AND ALL DOCUMENTATION ON EXISTING UTILITIES HAS BEEN IMPLIED UTILIZING INFORMATION RETRIEVAL PROCESSES FROM EACH JURISDICTION INVOLVED (STATE, COUNTY AND/OR MUNICIPALITY, TO INCLUDE OTHERS).
- 2. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO ENSURE ALL CONDUITS ARE PLACED WITHIN THE GIVEN & DEDICATED SPACE LICENSED FOR THIS PARTICULAR CLIENT. FULLERTON ENGINEERING CONSULTANTS, INC. (FULLERTON) WAS NOT RETAINED FOR THE PURPOSE OF SUPPORTING A SURVEY OF THE AREA AND PROPERTY BOUNDARIES, THEREFORE FULLERTON CAN NOT AND WILL NOT SUPPORT THE ACCURACY OF ANY IMPLIED BOUNDARY (I.E. PUBLIC WAY, PRIVATE PROPERTY, EASEMENT ETC.) NOR IS IT TO BE ASSUMED THAT THE SALE OF PROPERTIES HAS NOT OCCURRED DURING & AFTER FULLERTON'S RESPONSIBILITIES FOR THIS PROJECT HAVE PAST. ALL BOUNDARIES, EASEMENTS, PROPERTY LINES, ETC. ARE TO BE USED AS A GUIDELINE OR REFERENCE AND SHOULD NOT BE TAKEN LITERALLY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO HAVE ASSOCIATED BOUNDARIES SURVEY STAKED IF SO QUESTIONED. ALL ASPECTS OF BOUNDARIES IMPLIED HEREIN, HAVE BEEN DERIVED THROUGH AVAILABLE MEDIA SUCH AS BUT NOT LIMITED TO (SIDWELL, GOOGLE EARTH PRO. MUNICIPAL, STATE, COUNTY, GIS, AND OTHER RECORD TYPES). FULLERTON DOES NOT AGREE NOR DISAGREE WITH THE ABOVE-MENTIONED RECORDS AS THEY ARE USED JUST A REFERENCE TOOL.
- 3. ALL BURIED OBSTRUCTIONS KNOWN BY FULLERTON ARE SHOWN ON THE CONSTRUCTION DRAWINGS. ANY AND ALL OTHERS ENCOUNTERED DURING CONSTRUCTION ARE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE AND PROTECT.
- 4. CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES 48 HOURS PRIOR TO CONSTRUCTION ACTIVITY
- 5. SHORING MAY BE REQUIRED AND SHALL COMPLY TO O.S.H.A. STANDARDS.
- 6. ALL BURIED CONDUIT/CABLE WILL BE PLACED AT MINIMUM 30"-48" COVER UNLESS SPECIFIED OR OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS.
- ANY AND ALL IMPROVEMENTS, IF DAMAGED, SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION. THIS INCLUDES BUT IS NOT LIMITED TO: ASPHALT, CONCRETE PAVEMENT, CURBS, GUTTERS, SIDEWALKS, DRAINAGE DITCHES, EMBANKMENTS, SHRUBS, TREES, GRASS SOD, ETC..
- 8. ALL FIBER INSTALLATIONS SHALL OBSERVE A MINIMUM DYNAMIC BEND RADIUS OF 20X THE CABLE DIAMETER FOR ALL OSP FIBER SHEATHS AND 15X THE CABLE DIAMETER FOR ALL ISP FIBER SHEATHS. ADDITIONALLY, ALL INSTALLATIONS SHALL OBSERVE A MINIMUM STATIC BEND RADIUS OF 15X THE CABLE DIAMETER FOR ALL OSP FIBER SHEATHS AND 10X THE CABLE DIAMETER FOR ALL ISP FIBER SHEATHS. IF THE MANUFACTURER'S SPECIFICATIONS FOR BEND RADIUS ARE GREATER, THEN THEY SHALL BE FOIL OWED.
- 9. ALL NEW METALLIC AERIAL STRAND SHALL BE BONDED/GROUNDED (PREFERABLY TO THE POWER COMPANY NEUTRAL) PER LOCAL REQUIREMENTS. AT A MINIMUM, THE BONDING/GROUNDING PATTERN SHALL BE THE FIRST AND LAST POLE OF A RUN AND EVERY TENTH POLE IN THE RUN. SHOULD ONE OF THESE DESIGNATED POLES SUPPORT A POWER TRANSFORMER, THE POLES ON EITHER SIDE OF SAID POLE SHALL BE BONDED/GROUNDED AND THE PATTERN SHOULD CONTINUE EVERY TENTH POLE FROM THAT STARTING POINT.
- 10. ALL AERIAL FIBER OPTIC CABLES SHALL BE SECURELY LASHED TO AERIAL STRAND BY METHOD OF MECHANICAL LASHING CARRIAGE OR APPROVED EQUAL.
- 11. ALL FIBER OPTIC CABLES INSTALLED BELOW GRADE SHALL BE OF AN ARMORED VARIETY WITH METALLIC INNER SHEATH, OR BE PLACED WITH A METALLIC LOCATING WIRE TO FACILITATE FUTURE LOCATING SERVICES.
- 12. ALL CONDUIT OR DUCT CONSTRUCTION SHALL INCLUDE THE PLACEMENT OF PULLING TAPE OF SUFFICIENT SIZE AND GRADE TO FACILITATE THE INSTALLATION OF THE SPECIFIED FIBER TYPE THROUGH CONDUIT BEING UTILIZED (JETLINE USE TO BE APPROVED BY CLIENT).
- 13. ALL FUSION SPLICING SHALL BE COMPLETED BY A QUALIFIED FIBER SPLICER IN A CLEAN TEMPERATURE CONTROLLED TRUCK, TRAILER, OR SHELTER SPECIFICALLY TOOLED OR DESIGNED FOR THE PURPOSE OF FUSION SPLICING FIBER OPTIC CABLES IN A FIELD ENVIRONMENT.
- 14. ALL MECHANICAL SPLICES AND FACTORY ENDS SHALL BE KEPT CLEAN AND FREE FROM DUST, DIRT, OILS, AND SMEARS. CARE SHOULD BE TAKEN TO MATCH POLISH TYPES ON FACTORY ENDS.
- 15. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO WORK IDENTIFIED AS UNACCEPTABLE BY CLIENT, ENGINEER, OR INSPECTOR, DURING SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING. CONTRACTOR SHALL ALSO PROVIDE ALL AS-BUILT INFORMATION UPON COMPLETION OF INSPECTION.
- 16. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH. AT THE COMPLETION OF THE WORK, CONTRACTOR SHALL REMOVE FROM THE SITE ALL REMAINING RUBBISH, IMPLEMENTS, TEMPORARY FACILITIES, AND SURPLUS MATERIALS. CONTRACTOR TO RETURN SITE TO PREVIOUS OR BETTER CONDITION.
- 17. DRAWINGS ARE INTENDED TO SHOW DESIGN INTENT. CONTRACTOR SHALL PROVIDE MATERIALS AND LABOR AS REQUIRED TO PRODUCE A COMPLETE AND FUNCTIONING SYSTEM WHILE MEETING ALL CODES AND SPECIFICATIONS. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS. SUCH MODIFICATIONS SHALL BE INCLUDED IN THE WORK. SAID DESIGN IS INTENDED TO AVOID DISRUPTION OF ANY HANDICAP RAMPS OR STRUCTURES AS DESCRIBED PER THE AMERICANS WITH DISABILITIES ACT OF 1990.
- 18. CONTRACTOR SHALL WORK WITH CLIENT TO IDENTIFY ALL CONTRACTOR SUPPLIED MATERIALS TO CONSTRUCT NETWORK PER

SPECIFICATIONS.

- 19. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, EQUIPMENT, LABOR, INSTALLATION, RESTORATION, UTILITY RELOCATION CHARGES, JOB SITE DELIVERY COSTS AND INCIDENTALS TO COMPLETE THE DESCRIBED OR ILLUSTRATED WORK UNDER THIS CONTRACT
- 20. ANY CHANGE-ORDER REQUEST MUST BE PRESENTED IN WRITING TO THE OWNER'S REPRESENTATIVE AND APPROVED PRIOR TO PROCEEDING WITH THE REQUESTED CHANGE.
- 21. THE ENGINEER WILL NOT BE RESPONSIBLE NOR ASSUME ANY LIABILITY FOR NEGLIGENT ACTS OR ERRORS OF OMISSIONS OF ANY CONTRACTOR, ANY SUBCONTRACTOR, OR ANY OF THE PERSONS (EXCEPT ENGINEER'S OWN EMPLOYEES) AT THE PROJECT SITE OR OTHERWISE PERFORMING ANY OF THE WORK OF THE PROJECT. ANY CONTRACTOR OR SUBCONTRACTOR, AS WELL AS THE ENGINEER, WILL BE RESPONSIBLE FOR HIS OWN SAFETY PROGRAM. NEITHER THE PROFESSIONAL ACTIVITIES OF THE ENGINEER, NOR THE PRESENCE OF THE ENGINEER OR HIS OR HER EMPLOYEES AND SUB-CONSULTANTS AT THE CONSTRUCTION SITE, SHALL RELIEVE ANY CONTRACTOR OF HIS OR HER OBLIGATIONS, DUTIES AND RESPONSIBILITIES INCLUDING, BUT NOT LIMITED TO, CONSTRUCTION MEANS, METHODS, SEQUENCE, TECHNIQUES OR PROCEDURES NECESSARY FOR PERFORMING, SUPERINTENDING OR COORDINATING ALL PORTIONS OF THE WORK OF CONSTRUCTION IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND ANY HEALTH OR SAFETY PRECAUTIONS REQUIRED BY ANY REGULATORY AGENCIES. THE ENGINEER AND HIS OR HER PERSONNEL HAVE NO AUTHORITY TO EXERCISE ANY CONTROL OVER ANY CONSTRUCTION CONTRACTOR OR OTHER ENTITY OR THEIR EMPLOYEES IN CONNECTION WITH ANY HEALTH OR SAFETY PRECAUTIONS.
- 22. ALL MATERIALS INSTALLED WITHIN THE LIMITS OF THIS PROJECT SHALL BE IN CONFORMANCE WITH STANDARD RECOMMENDATIONS OF THE NATIONAL ELECTRIC MANUFACTURER'S ASSOCIATION (NEMA) AND THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI).
- 23. THE CONTRACTOR SHALL OBTAIN ALL PERMITS AND COMPLY WITH THE REQUIREMENTS OF ALL AGENCIES HAVING JURISDICTION OVER THE WORK AND SHALL COORDINATE HIS WORK WITH THE WORK PERFORMED BY OTHERS FOR THE PURPOSE OF INSTALLATION. THIS INCLUDES, BUT IS NOT LIMITED TO, ALL WORK WITH ALL PUBLIC AND PRIVATE UTILITIES AS WELL AS CITY AND STATE AGENCIES.
- 24. CONTRACTOR SHALL RECORD THE LOCATION AND ELEVATION OF ALL UTILITIES ENCOUNTERED, AND INSTALLATION OF NEW WORK, AS THE WORK PROGRESSES AND SHALL PREPARE RECORD DRAWINGS (RED-LINES) BASED ON HIS RECORDS. AS A PART OF THE RECORD DRAWINGS, CONTRACTOR SHALL ALSO PROVIDE HORIZONTAL AND VERTICAL CONFIGURATION OF CONDUITS WHERE MULTIPLE CONDUITS ARE INSTALLED. THESE RECORDS ARE TO BE SUPPLIED TO FULLERTON ENGINEERING AT COMPLETION OF WORK
- 25. MAINTAIN MORE THAN 2'-0" VERTICAL CLEARANCE AND MORE THAN 4'-0" HORIZONTAL CLEARANCE BETWEEN EXISTING SEWER OR SEWER STRUCTURES AND UTILITY. IF CITY SEWER FACILITIES ARE DAMAGED DURING CONSTRUCTION, IT MUST BE REPORTED TO CITY ENGINEERING SECTION AND MUST BE REPAIRED BY A LICENSED DRAIN LAYER UNDER THE SUPERVISION OF THE MASON INSPECTOR
- 26. NO STORAGE OF EQUIPMENT OR MATERIALS IN THE ROADWAY IS PERMITTED UNLESS THE CONTRACTOR OBTAINS WRITTEN PERMISSION FROM THE CITY, STATE, AND/OR GOVERNING BODY.
- 27. CONTRACTOR RESPONSIBLE FOR OBTAINING AND PROVIDING REVIEW AND DESIGN OF ANY AND ALL SHORING SYSTEMS PRIOR TO CONSTRUCTION.
- 28. THE ENGINEER SHALL BE NOTIFIED FOR DISPOSITION OF SITUATIONS WHERE THE CONDUIT CANNOT MAINTAIN SEPARATIONS PER PLAN.
- 29. THE CONTRACTOR IS RESPONSIBLE FOR THE RESTORATION OF THE AREAS DISTURBED BY CONSTRUCTION ACTIVITIES.

 CONTRACTOR IS TO PAY ALL FEES AND OBTAIN ALL PERMITS FOR RESTORATION. CONTRACTOR IS TO RESTORE ALL DAMAGED STRUCTURES AND UTILITIES TO THE SATISFACTION OF THE FACILITY OWNER OR THE GOVERNING BODY, IN THE EVENT THAT DAMAGE OCCURS
- 30. USE EXTREME CAUTION NEAR ALL GAS FACILITIES DURING CONSTRUCTION AND RELATED EXCAVATION ACTIVITIES, HAND EXCAVATION IS REQUIRED TO VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF GAS MAIN(S) PRIOR TO CROSSING AND WORKING WITHIN 3 FEET OF ALL GAS FACILITIES. A MINIMUM OF 3 FEET HORIZONTAL EDGE TO EDGE CLEARANCE IS REQUIRED FOR GAS MAINS WITH DIAMETERS OF 16 INCHES OR SMALLER, AND 5 FEET EDGE TO EDGE CLEARANCE FOR GAS MAINS WITH DIAMETERS 18 INCHES AND LARGER IN DIAMETER. THE USE OF CONCRETE, FLOW FILL, OR THE LIKE IS PROHIBITED WITHIN 24 INCHES OF ALL GAS FACILITIES, NOR SHALL IT ENCASE ANY GAS FACILITY. SAND IS TO BE USED AS A BUFFER BETWEEN FLOWABLE FILL AND ALL GAS FACILITIES, ANY DAMAGE TO GAS FACILITIES SHALL BE THE RESPONSIBILITY OF THE INSTALLING UTILITY AND THEIR CONTRACTORS.

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN. 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT UPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH HE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAM

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT AREA

LACROSSE, WI, USA

SHEET SCALE

N.T.S.

SHEET TITLE

GENERAL NOTES

GRID NUMBER

SHEET NUMBER

GN





3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

N.T.S.

SHEET TITLE

MAP

GRID NUMBER

SHEET NUMBER

MAP-1



PLANSET

11'x17' SCALE: NTS
24'x36' SCALE: NTS

WILCOO3-U-S3







1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

N.T.S.

SHEET TITLE

MAP


GRID NUMBER

SHEET NUMBER

MAP-2

PLANSET

11'x17' SCALE: NTS
24'x36' SCALE: NTS



PROJECT# 2023.0119.0017

C-001

REVISED

MATCHLINE - SHEET C-001 ow what's **below**. **Call** before you dig. 3600 28TH ST S, La Crosse, WI 54601 PROPOSED AERIAL FIBER

MATCHLINE - SHEET C-003

NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEGGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

MATCHLINE - SHEET C-002 ow what's below. Call before you dig. 4329 MORMON COULEE RD, LA CROSSE, WI 5460 STA: 0+00 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) - 122 LINEAR FEET OF PROPOSED 1-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) PROPOSED AERIAL 4341 MORMON COULEE RD, LA CROSSE, WI 5460 MATCHLINE - SHEET C-0014 NOTE: NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' UNDER HARD SURFACE CLEARANCE FROM MANHOLES AND CATCH BASINS. MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK N

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT


GRID NUMBER

SHEET NUMBER

C-003

MATCHLINE - SHEET C-003 MATCHLINE - SHEET C-014 metronet 3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715 - I 19 LINEAR FEET OF PROPOSED I-I.25" HDPE CONDUIT FOR FIBER ROW VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 3715 28TH ST S, LA CROSSE, WI 54601 \mathcal{O} I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 $\dot{\Omega}$ \mathbb{H} DRIVEWAY 48: WILC003-B05 24: WILC003-B08 P-P: 191' 2+26 SUED FOR REVIEW B 06/12/24 REVISED LHH I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES. BEGIN/END CONSTRUCTION BEGIN CONSTRUCTION OF OF 2-1.25" HDPE CONDUIT FOR 2-1.25" HDPE CONDUIT FOR FIBER I FOOT ABOVE GRADE FIBER I FOOT ABOVE GRADE AT EXISTING UTILITY POLE AT EXISTING UTILITY POLE 4401 MORMON COULEE RD, LA 99 LINEAR FEET OF PROPOSED 3-1.25" CROSSE, WI 54601 HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION 225 LINEAR FEET OF PROPOSED 2-1.25" HDPE DETAILS SHEET) CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) TASK NAME PROPOSED AERIAL WILC004-U-S3 TASK DESCRIPTION FIBER OPTIC CONDUIT **PLACEMENT** 4422 MORMON COULEE RD, LA CROSSE, WI 54601 LACROSSE, WI, USA SHEET SCALE 1" = 30'-0" SHEET TITLE w what's below. Call before you dig. **DESIGN LAYOUT** MATCHLINE - SHEET C-005 GRID NUMBER NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. SHEET NUMBER INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' UNDER HARD SURFACE CLEARANCE FROM MANHOLES AND CATCH BASINS. C-004 MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

NOTE:



MATCHLINE - SHEET C-005 ow what's below. Call before you dig. 4431 MORMON COULEE RD, LA CROSSE, WI 54601 4448 MORMON COULEE RD, LA CROSSE, WI 54601 - 297 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 10 PM PROPOSED AERIAL 4501 MORMON COULEE RD, LA CROSSE, WI 54601 - STA: 10+85 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) - 17 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION 4504 MORMON COULEE RD, LA DETAILS SHEET) CROSSE, WI 54601 MATCHLINE - SHEET C-007

NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.



metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAI

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

MATCHLINE - SHEET C-006



metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT **PLACEMENT**

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"


SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

C-007



NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.

MATCHLINE - SHEET C-007



metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

C-008

– 110 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION JORNO I DETAILS SHEET) 4601 MORMON COULEE RD, STA: 15+15 PROPOSED DB-IIXIIXIO
COMMUNICATIONS HANDHOLE
(SEE STANDARD CONSTRUCTION
DETAILS SHEET) LA CROSSE, WI 5460I 4546 MORMON COULEE RD, LA CROSSE, WI 5460I 4605 MORMON COULEE RD. LA CROSSE, WI 5460I PROPOSED AERIAL - 178 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 4622 MORMON COULEE RD, LA CROSSE, WI 5460I

MATCHLINE - SHEET C-009

NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.

MATCHLINE - SHEET C-008 ow what's below. Call before you dig. MORMON COLLEE - 196 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) - STA: 18+89 PROPOSED TB-13X24X15 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION 4635 MORMON COULEE RD, DETAILS SHEET) LA CROSSE, WI 54601 PROPOSED AERIAL FIBER 99 LINEAR FEET OF PROPOSED I-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 4622 MORMON COULEE RD, LA CROSSE, WI 54601 4647 MORMON COULEE RD, LA CROSSE, WI 54601 -19+88 MATCHLINE - SHEET C-010 NOTE: NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' UNDER HARD SURFACE CLEARANCE FROM MANHOLES AND CATCH BASINS. MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY	
Α	03/01/24	ISSUED FOR REVIEW	SN	
В	06/12/24	REVISED	BP	
			-	

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK N

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

MATCHLINE - SHEET C-009 ow what's below. Call before you dig. 20+17 122 MORMON COULEE RD - 161 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) PROPOSED AERIAL -STA: 21+49 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 4622 MORMON COULEE RD, LA CROSSE, WI 54601 - 126 LINEAR FEET OF PROPOSED 1-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE 4735 MORMON COULEE RD, (SEE STANDARD LA CROSSE, WI 54601 CONSTRUCTION DETAILS SHEET) MATCHLINE - SHEET C-011 NOTE: NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS

BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN.

MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

UNDER HARD SURFACE

PROJECT# 2023.0119.0017

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715

1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

SSUED FOR REVIEW

REVISED

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

WILC004-U-S3

FIBER OPTIC CONDUIT
PLACEMENT

LACROSSE, WI, USA

1" = 30'-0"

DESIGN LAYOUT

C-010

B 06/12/24

TASK NAME

TASK DESCRIPTION

SHEET SCALE

SHEET TITLE

GRID NUMBER

SHEET NUMBER

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING

INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5'

CLEARANCE FROM MANHOLES AND CATCH BASINS.

MATCHLINE - SHEET C-010 ow what's below. Call before you dig. 4735 MORMON COULEE RD, LA CROSSE, WI 54601 NOTE: PRIOR TO CONSTRUCTION ALL MORMON COULER TRAFFIC SIGNAL WIRING AT THE INTERSECTION MUST BE PROPERLY LOCATED. 288 LINEAR FEET OF PROPOSED 1-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS PROPOSED AERIAL = FIBER MATCHLINE - SHEET C-012 NOTE: NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' UNDER HARD SURFACE CLEARANCE FROM MANHOLES AND CATCH BASINS. MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE


1" = 30'-0"


SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER





NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.



metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP
			-

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE


1" = 30'-0"


SHEET TITLE


DESIGN LAYOUT


GRID NUMBER


SHEET NUMBER












ADDITIONAL NOTES:


- 1. EXCEPT AS OTHERWISE NOTED, CONTRACTOR SHALL MAINTAIN A MINIMUM OF 24 INCHES OF SEPARATION FROM EXISTING UTILITIES.
- 2. CONTRACTOR SHALL POTHOLE EACH UTILITY TO DETERMINE SIZE, LOCATION, AND DEPTH PRIOR TO CROSSING.
- 3. CONTRACTOR IS CAUTIONED TO PROTECT SEWER MANHOLES, CATCH BASINS, LATERALS AND INLETS.
- 4. CONTRACTOR WILL PROVIDE BARRICADING TO INSURE CORRECT TRAFFIC CONTROL WHILE MAINTAINING VEHICULAR TRAFFIC AT ALL TIMES.
- 5. RESTORATION TO BE IN COMPLIANCE WITH APPLICABLE PERMITING AGENCIES
- 6. BONDING AND GROUNDING PER NESC.

PUBLIC UTILITY NOTE:

CONTRACTOR SHALL NOTIFY ALL PUBLIC UTILITY COMPANIES (GAS, ELECTRIC, TELEPHONE, SEWER, WATER, ETC) PRIOR TO COMMENCING ANY CONSTRUCTION.

THESE COMPANIES WILL LOCATE, ON THE GROUND, THE LOCATION OF ALL CONDUITS, DUCTS, UNDERGROUND PIPING, ETC., ADJOINING & CROSSING PROPOSED CONSTRUCTION.







3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

N.T.S.


SHEET TITLE


DETAILS


GRID NUMBER

SHEET NUMBER

D.








MADE IN USA

CHANNELL



CHANNELL





1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT **PLACEMENT**

LACROSSE, WI, USA

SHEET SCALE

N.T.S.

DETAILS

SHEET TITLE

GRID NUMBER

SHEET NUMBER

D-2



DATA SHEET

SGLB-0 NEW SIGNATURE SERIES GRADE LEVEL BOX WITH **SELFLOCK** PROTECTION





SELFLOCKTM

The New Signature Series SGLB High Density Polyethylene (HDPE) grade level box line come standard with Logo Disk and the Patented **SELFLOCK** automatic locking mechanism.

FEATURES

- 13" (330mm) Depth
- No bolts to be lost, misplaced, or not installed back into the unit

- Captive bolt device, that opens with a ¼ turn
- Press/Push lid closed, and it will automatically lock in place (with an audible "click")
- Protects your investment, and ensures the needed protection for your network
- Eliminates the risk of lids floating off, being throw be lawnmowers (i.e. reduces potentially liability)

SIMPLE AND WORRY FREE PROTECTION









SELFLOCK closes and seals with audible "Click" Captive bolt device opens with only 1/4 turn

Shown with Optional Marker Locate Device

DIMENSIONS







WORLDWIDE HEADQUARTERS: Channell Commercial Corporation, Rockwall, TX, United States • Tel 800.423.1863 • Fax 951.296.2322 CANADA: Channell Canada, Inc., Mississauga, ON, Canada • Tel 905.565.1700 • Fax 905.565.8282 EUROPE, MIDDLE EAST, AFRICA: Channell Ltd., Dartford, United Kingdom • Tel 44.1322.312590 • Fax 44.1322.508490 AUSTRALIA, ASIA, PACIFIC RIM: Channell Pty. Ltd., Seven Hills, NSW, Australia • Tel 61.2.8884.4111 • Fax 61.2.8814.8841

www.channell.com

All specifications subject to change without notice. © 2022 Channell Commercial Corporation. All rights reserved.

040822 FRT

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN. 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT **PLACEMENT**

LACROSSE, WI, USA

SHEET SCALE

N.T.S.


SHEET TITLE


DETAILS

GRID NUMBER


SHEET NUMBER

- NOTES: 1. CALL FOR LOCATES AT LEAST 72 HOURS IN ADVANCE OF ANY CONSTRUCTION FOR MARKINGS.
- .2. FOR LABEL AND TAG INFORMATION SEE DRAWING OSP 16.
- THE VALUE W/ BOTTOM ENTRY FLEVATION NEW SHOWN BELOW IDNEY INDICATES THE BACK FILL REQUIREMENTS NECESSARY FOR VALUETS FLACED IN SIDEWALKS, ETC. (WHERE THEY NEED TO COMPLY WITH ADA REQUIREMENTS). TO ENSURE COMPLIANCE WITH CURRENT ADA REQUIREMENTS, THE HEIGHT OF THE BACK TITLE IS SHOWN HELD BOWN TO ALLOW CONCRETE TO FLOW BOWN AND ARGUND THE LITTING LUGS/BOLTS WHICH WILL SERVE AS DOWELS INTO THE FINISHED CONCRETE SLAB.






VAULT W/ BOTTOM ENTRY



NOTE:

L ENCLOSURES BOXES AND COVERS ARE REQUIRED TO MEET OR EXCEED ALL LESTS PROVISIONS OF THE MOST CURRENT ANSI/SETE 77=2007 SPECIFICATIONS FOR UNDERGROUND INTEGRITY FOR HER 15 OR BEATER.



ADA REQUIREMENTS:

SURFACE LEVEL CRITERIA. NOTHEIGHT DIFFERENTIALS WITH A UP GREATER THAN IX IN HEIGHT. EXCEPTIONS: A HEIGHT DIFFERENTIAL BETWEEN IX AND IX IS ACCEPTABLE IF IT IS BEVELED AT A 22 SLOPE, OR A HEIGHT DIFFERENTIAL GREATER THAN IX IS ACCEPTABLE IF IT IS RAWPED WITH A SLOPE OF 8.53% (IVITZH) OR DESS.

UTILIDY COVERS SHALL HAVE A SUP RESISTANT TOP, AS MUCH AS POSSIBLE, AND MEET CHANGES IN LEVEL GRITERIA AS STATED ABOVE.

PLUCGING OF HOLES GREATER THAN X WITH A MATERIAL APPROVED BY THE ENGINEER IS ACCEPTABLE AS LONG AS IT IS FLUSH WITH THE GOVER SURFACE.

A LEVEL PEDESTRIAN ACCESS ROUTE (PAR) OR WALKWAY SHALL BE PROVIDED ACROSS COMMERCIAL AND RESIDENTIAL ENTRANCES, MEETING THE FOLLOWING CRITERIA:


THE WALKWAY IS AT MINIMUM 3 WIDE

FROSS SLOPE OF WALKWAY IS 2% OR UESS.

WALKWAY IS AT THE ISAME GRADE AS THE ADJACENT ROADWAY.

THE WALKWAY DOES NOT HAVE TO BE MARKED, BUT PROVIDES A STRAIGHT LITE BETWEEN THE ADJOINING SIDEWAKS, OR ROMPS.

THERE IS NOT AN ABRUPT TRANSITION FROM THE DRIVEWAY TO THE ROADWAY FOR VEHICLES, LET VEHICLES WILL NOT BOLTOM OUT WHEN DRIVING LOVER THE TRANSITION.



PEDESTRIAN_ACCESS_ROUTE



EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT **PLACEMENT**

PROJECT AREA

LACROSSE, WI, USA

SHEET SCALE


N.T.S.

SHEET TITLE

DETAILS


GRID NUMBER

SHEET NUMBER



Notes

- 1. Additional advance warning may be necessary.
- Only the traffic control devices related to pedestrians are shown.Other devices may be needed to control traffic on the streets such as lane closure signs, ROAD NARROWS or LANE NARROWS signs.
- 3. For nighttime closures, Type A flashing warning lights may be used on barricades supporting signs and closing walkways.
- Audible devices should be considered to alert pedestrians with visual disabilities of closings and crosswalk changes.



- 1. Additional advance warning may be necessary.
- Only the traffic control devices related to pedestrians are shown. Other devices such as lane closure signs, ROAD NARROWS or LANE NARROWS signs may be needed to control traffic on the streets.
- 3. For nighttime closures, Type A flashing warning lights may be used on barricades supporting signs and closing walkways. Type C or Type D steady-burn lights may be used on channelizing devices separating the temporary walkway from vehicular traffic.
- Where high speeds are likely, a barrier should separate the temporary walkway from vehicular traffic. Refer to Section 6D.01of Part 6 of the MUTCD for information on barriers.
- Signs may be placed along a temporary walkway to guide pedestrians; for example, Keep Right or Keep Left signs.
- 6. Pedestrian walkways should be ADA accessible (i.e., ramps, surfaces).

metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	03/01/24	ISSUED FOR REVIEW	SN
В	06/12/24	REVISED	BP

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC004-U-S3

TASK DESCRIPTION

FIBER OPTIC CONDUIT PLACEMENT

PROJECT ARE

LACROSSE, WI, USA

SHEET SCALE

N.T.S.

SHEET TITLE

TRAFFIC CONTROL STANDARD DETAILS

GRID NUMBER

SHEET NUMBER

TCP-1