

Craig, Sondra

From: Acklin, Tim
Sent: Wednesday, July 3, 2024 9:39 AM
To: Craig, Sondra
Cc: Trane, Andrea
Subject: RE: For Review - CSM - City of La Crosse Wastewater Treatment Plant

No concerns from planning.

Tim Acklin, AICP

Planning Manager

Planning, Development, and Assessment
City of La Crosse
400 La Crosse Street
La Crosse, WI 54601

acklint@cityoflacrosse.org

Office: 608.789.7391

From: Craig, Sondra <craigs@cityoflacrosse.org>
Sent: Thursday, June 27, 2024 8:41 AM
To: Acklin, Tim <Acklint@cityoflacrosse.org>; Coman, Kyle <comank@cityoflacrosse.org>; Crandall, Jay <CrandallJ@cityoflacrosse.org>; Gallagher, Matthew <gallagerm@cityoflacrosse.org>; Holland, Michelle <hollandm@cityoflacrosse.org>; Trane, Andrea <tranea@cityoflacrosse.org>
Cc: Neumann, Shannon <Neumanns@cityoflacrosse.org>; Reinhart, David <Reinhartd@cityoflacrosse.org>; Erickson, Tina <ericksont@cityoflacrosse.org>; Asp, Brian <aspb@cityoflacrosse.org>
Subject: RE: For Review - CSM - City of La Crosse Wastewater Treatment Plant

Good morning,

Attached is a revised CSM that I received yesterday. Please let me know if you approve or have any comments.

Thank you to Assessor, CRM, and Utilities who have already responded. If you have any comments on this version, please let me know.

SONDRA CRAIG

Deputy City Clerk

City Clerk's Office
City of La Crosse
400 La Crosse Street
La Crosse WI 54601

craigs@cityoflacrosse.org

Direct: 608.789.7549 | Office: 608.789.7510

From: Craig, Sondra

Sent: Monday, June 17, 2024 8:40 AM

To: Acklin, Tim <Acklint@cityoflacrosse.org>; Asp, Brian <aspb@cityoflacrosse.org>; Coman, Kyle <comank@cityoflacrosse.org>; Crandall, Jay <CrandallJ@cityoflacrosse.org>; Erickson, Tina <ericksont@cityoflacrosse.org>; Gallagher, Matthew <gallagerm@cityoflacrosse.org>; Holland, Michelle <hollandm@cityoflacrosse.org>; Neumann, Shannon <Neumanns@cityoflacrosse.org>; Reinhart, David <Reinhartd@cityoflacrosse.org>; Trane, Andrea <tranea@cityoflacrosse.org>

Subject: For Review - CSM - City of La Crosse Wastewater Treatment Plant

Good morning,

Attached for your review is a CSM for lands at the City of La Crosse Wastewater Treatment Plant. Scott Dunnum is the surveyor and will provide a signed/sealed copy once final review has been completed.

This CSM will go through the July meetings (CPC, J&A, Council) as it will need approval for waiving the platting requirements. Please let me know if you approve or have any comments.

Thank you,

SONDRA CRAIG

Deputy City Clerk

City Clerk's Office

City of La Crosse

400 La Crosse Street

La Crosse WI 54601

craigs@cityoflacrosse.org

Direct: 608.789.7549 | Office: 608.789.7510

Visit the City Clerk webpage: <https://www.cityoflacrosse.org/your-government/departments/city-clerk>

City Clerk's Office hours:

8:00 a.m. to 4:30 p.m., Monday through Thursday

8:00 a.m. to 2:00 p.m., Fridays (May - July)

Public Service (walk in) hours 8:00 a.m. to 4:00 p.m. Monday through Thursday in the City Hall Lobby

Elected Officials and Members of Official Committees:

In order to comply with open meeting requirements, please limit any reply to only the sender of this electronic communication.