

State Road 16

Frontage Road

City Utilities hookup location (See city detail)

Storm Sewer

Water Main Line

Note: All Parking and Building areas will be cut addtl 1' for gravel base

Sanitary Sewer

102.17'

80.52'

101.50'

215.10'

Retaining Wall

Storm

Catch Basin

Sanitary Sewer

Man hole

Water

Cut 0'

Cut 0'

Cut 0'

0+00

Add 7'

Add 6'

Cut 0'

2+00

Cut 0'

4+00

5+40

160.39'

Bldg 6 FE 682.5'

Bldg 5 FE 683.5'

Bldg 4 FE 683.5'

Bldg 3 FE 683.5'

Bldg 2 FE 682.5'

Bldg 1 FE 680.5'

Add 3'

Cut 6'

Cut 8'

Cut 6'

Cut 5'

Cut 5'

117.55'

546.11'

ic

Per Bldg. 44 Wsfu, 72 Dsu (drainage fix unit)
2" Water line, 7' depth
Sewer Sanitary 4" to 6", 1/8 drop per ft. (180 drains)
start 5.5' depth, drop 1/8" per ft.
18" PVC Storm Sewer - 36" catch basin
1/8" per ft slope North to South.

679' depth

678' depth

Storm

dropping 1/8" per ft.

673' depth

Sanitary Sewer

Profile (1" = 40' H & V)

672' depth

Water

