



PLACE PAVEMENT USING ONE 1 1/2" SURFACE LIFT OVER ONE 1 1/2" BINDER LIFT.

**A LIGHT DUTY PAVEMENT SECTION**  
C100 NO SCALE




-PLACE PAVEMENT USING ONE 3" LIFT  
-BASE UNDER CURB AND GUTTER SHALL BE 6" COMPACTED, CRUSHED DENSE GRADED BASE.


**B PERVIOUS FLEXIBLE PAVEMENT SECTION DETAIL**  
C100 NO SCALE



**C CONCRETE PAVEMENT SECTION**  
C100 NO SCALE




**D CRITICAL INTERFACE TO RESERVOIR COURSE**  
C100 NO SCALE



NOTE:  
ROCK UNDER CURB TO BE SAME DEPTH TO SUBGRADE AS ADJACENT PAVEMENT. HOWEVER, NOT LESS THAN 6".


**E INTEGRAL CURB/SIDEWALK SECTION**  
C100 NO SCALE



NOTE:

- CONTROL JOINTS SHALL CONFORM WITH WISDOT 601.3.6
- THE BOTTOM OF THE CURB AND GUTTER MAY BE CONSTRUCTED FLAT OR PARALLEL TO THE SLOPE OF THE BASE COURSE PROVIDED A MINIMUM 6" GUTTER THICKNESS IS MAINTAINED


**F TYPICAL 24" CURB AND GUTTER SECTION**  
C100 NO SCALE




NOTE:

- CONTROL JOINTS SHALL CONFORM WITH WISDOT 601.3.6
- THE BOTTOM OF THE CURB AND GUTTER MAY BE CONSTRUCTED FLAT OR PARALLEL TO THE SLOPE OF THE BASE COURSE PROVIDED A MINIMUM 6" GUTTER THICKNESS IS MAINTAINED

**G 24" CURB AND GUTTER SECTION - REVERSE SLOPE**  
C100 NO SCALE




**H END SECTION CURB & GUTTER**  
C100 NO SCALE



NOTES:


- 2'x4' TRUNCATED DOME PANELS SHALL BE CAST IRON
- THE SURFACE TEXTURE OF THE RAMP (EXCLUDING THE TRUNCATED DOME PANEL) SHALL BE A COARSE BROOMED FINISH, TRANSVERSE TO THE SLOPE OF THE RAMP.

**I SIDEWALK RAMP DETAIL**  
C100 NO SCALE




NOTE:  
SIDEWALK IN DRIVEWAY SECTIONS SHALL BE 6" THICK

**J SIDEWALK PAVING AND JOINTING**  
C100 NO SCALE




SECTION

NOTE:  
SIDEWALK IN DRIVEWAY SECTIONS SHALL BE 6" THICK




ISOMETRIC


**K STANDARD CONCRETE APRON**  
C100 No Scale




**L REINFORCED CONCRETE STEP**  
C100 NO SCALE



**M DISABLED SIGN DETAIL**  
C100 NO SCALE



**N "RIGHT TURN ONLY" SIGN DETAIL**  
C100 NO SCALE



**HSR ASSOCIATES INC.**  
100 MILWAUKEE STREET  
LA CROSSE, WISCONSIN  
PHONE: 608.784.1830  
FAX: 608.782.5844

WEB SITE: [www.hsrassociates.com](http://www.hsrassociates.com)

Consultant:

**PARAGON ASSOCIATES**  
Environmental Design & Consulting  
CIVIL ENGINEERING - LANDSCAPE ARCHITECTURE - SURVEYING  
632 COPELAND AVENUE - LA CROSSE, WI 54603  
Tel: 608.781.3110 Fax: 608.781.3187 Paragon-Associates

COULEE REGION  
RECOVERY CENTER

FERRY STREET  
LA CROSSE, WISCONSIN  
DETAILS

Project Title:  
Project Location:  
Sheet Title:

HSR Project Number:

**AUTO PROJECT #**

Project Date:

**AUTO PROJECT DATE**

Drawn By:

**C.G.**

Key Plan:

**REVIEW**  
**NOT FOR CONSTRUCTION**

No.	Description	Date

Graphic Scale:  
**VARIES**

Last Update:  
**09/01/17**

**C500**