BRIGHTSPEED LA CROSSE


LCRSWIXB 2525 SHELBY RD, LA CROSSE, WI 54601, USA CONDUIT LAYOUT

Sheet List Table				
Sheet Number	Sheet Title			
01	COVER SHEET			
02	GENERAL NOTES			
03	LEGENDS			
04	TYPICAL			
05-08	FIBER LAYOUTS			

Material List Table				
ITEM	QUANTITY			
FEEDER FIBER	00			
JUMPER	00			
17"X30"X18" HH	08			
12"X24"X18" HH	00			
24"X36"X24" HH	00			
2" CONDUIT	2,188'			
NEW STRAND	00			
ANCHOR	00			

BLM INFO				
SECTION	S16			
MUNICIPALITY	LA CROSSE			
TOWNSHIP	T15N			
COUNTY	LA CROSSE			
RANGE	R7W			

REVISION	DATE	DESCRIPTION




GENERAL ABBREVIATIONS

RIGHT OF WAY
SIDEWALK
CENTER LINE
CONCRETE SIDEWALK
DRIVEWAY
FACE OF CURB
BACK OF CURB
EDGE OF CURB
EDGE OF PAVEMENT
ETW LINE
HANDHOLE
MANHOLE
NOT TO SCALE
CONCRETE
PEDESTAL (UTILITY)
POLYVINYL CHLORIDE
PROPERTY LINE
RAILROAD
STREET LIGHT
WALL TO BUILDING
WALL TO POLE
WALL TO WALL
UTILITY EASEMENT
STORM DRAIN
TRAFFIC SIGNAL

PERMITTING AGENCY CITY OF LA CROSSE

<u>LINEAR PATH FOOTAGE</u> UNDERGROUND PATH - 2,188 FT







brightspeed

LCRSWIXB

COVER SHEET



GENERAL NOTES



PLAN SHEET DISCLAIMER:

- 1. EVERY REASONABLE EFFORT HAS BEEN MADE TO ASSURE THE ACCURACY OF THESE PLANS AND ASSOCIATED DATA.
- 2. IN AN EFFORT TO INCREASE THE CLARITY AND LEGIBILITY OF THE PLANS, EXISTING UNDERGROUND UTILITIES WILL NOT BE SHOWN UNLESS THERE IS PROPOSED WORK THAT WILL REQUIRE EXCAVATION OR ANY OTHER EARTH DISTURBING ACTIVITY. IF PROPOSED WORK WILL REQUIRE THIS TYPE OF ACTIVITY. EXISTING UNDERGROUND UTILITIES WILL BE PROPERLY INVESTIGATED AND REPRESENTED ON THE PLAN SHEET OF THE RESPECTIVE WORK LOCATION

UTILITIES

- 1. THE IDENTITY AND LOCATION OF EXISTING UNDERGROUND UTILITIES LOCATED IN AND AROUND THE CONSTRUCTION AREA HAVE BEEN SHOWN AND LABELED ON THE PLANS BY USING INFORMATION PROVIDED BY THE RESPECTIVE UTILITY OWNERS.
- 2. SUPPORT AND PROTECTION OF ALL UTILITIES AND APPURTENANCES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. COSTS FOR THE REPAIR AND RESTORATION OF EXISTING UTILITIES DAMAGED BY THE CONTRACTOR SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- CALL 811 BEFORE YOU DIG. AT LEAST 48 HOURS PRIOR TO EXCAVATION.

WORK LIMITS

1. THE WORK LIMITS SHOWN ON THESE PLANS ARE FOR PHYSICAL CONSTRUCTION ONLY. THE INSTALLATION AND OPERATION OF ALL TEMPORARY TRAFFIC CONTROL AND TEMPORARY TRAFFIC CONTROL DEVICES REQUIRED BY THESE PLANS SHALL BE PROVIDED BY THE CONTRACTOR WHETHER INSIDE OR OUTSIDE OF THESE WORK LIMITS.

MAINTAIN DRAINAGE

1. THE CONTRACTOR AT HIS OWN EXPENSE, SHALL MAINTAIN THE FLOW IN ALL SEWERS, DRAINS, FIELD TILES, AND WATERCOURSES ENCOUNTERED IN AND AROUND THE PROJECT SITE. IF SUCH WATERCOURSES OR DRAINS ARE DISTURBED OR DESTROYED DURING THE EXECUTION OF THE PROJECT. THEY SHALL BE RESTORED BY THE CONTRACTOR AT HIS OWN EXPENSE TO A CONDITION SATISFACTORY TO THE ENGINEER.

SECURING EXCAVATIONS & TRENCHES FOR NON-WORKING HOURS

1. EXCAVATIONS AND TRENCHES OVER 24-INCHES DEEP SHALL BE SECURELY PLATED OR BACKFILLED DURING NON-WORKING HOURS.

EXCAVATION OF ROADWAY AND RIGHT-OF-WAY AREAS

- 1. ANY CONTRACTOR PERFORMING EXCAVATION, INCLUDING BUT NOT LIMITED TO DISTURBING THE EARTH WTH POWERED OR NON-POWERED EQUIPMENT, DRILLING AND/OR BORING, SHALL CAUSE NOTICE TO BE GIVEN BY CALLING 811 AT LEAST 48 HOURS BUT NOT MORE THAN 10 WORKING DAYS BEFORE EXCAVATING.
- 2. THE EXCAVATOR SHALL PROTECT AND PRESERVE THE MARKINGS UNTIL THOSE MARKINGS ARE NO LONGER NEEDED. IF AN EXCAVATION WILL COVER A LARGE AREA AND/OR PROGRESS FROM ONE AREA TO THE NEXT OVER A PERIOD OF TIME. THE EXCAVATOR SHALL COORDINATE THE MARKING OF APPROXIMATE LOCATIONS OF CITY OWNED FACILITIES WITH THE ACTUAL EXCAVATION.
- 3. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL CUSTOMER OWNED SERVICE LINES/LATERALS. THE CONTRACTOR SHALL FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF ANY CITY OR CUSTOMER OWNED MAIN OR SERVICE LINE/LATERALS THAT MAY BE AFFECTED BY THE PROPOSED CONSTRUCTION ACTIVITIES. FIELD VERIFICATION SHALL TAKE PLACE PRIOR TO ANY ACTIVITY THAT MAY JEOPARDIZE THE INTEGRITY OF THE FACILITY AND AT A LOCATION NEAREST THE POINT OF POSSIBLE CONFLICT.
- 4. ANY DAMAGES TO CITY OR CUSTOMER OWNED FACILITIES SHOULD FIRST BE REPORTED TO THE UTILITY OWNER THEN IMMEDIATELY NOTIFY THE PROJECT ENGINEER.

AERIAL CONSTRUCTION:

- 1. CONTRACTOR TO VERIFY ALL BONDING AND GROUNDING COMPLES WITH NESC GUIDELINES.
- 2. CONSTRUCTION TO VERIFY ALL REQUIRED MAKE READY WORK IS COMPLETE BEFORE PLACING ON UTILITY POLES.

SAFETY NOTE:

- 1. CHECK IN WITH CONSTRUCTION SUPERVISOR WHEN ARRIVING ON-SITE.
- 2. HEAVY CONSTRUCTION EQUIPMENT IN USE. BEWARE OF SURROUNDINGS.
- 3. FOLLOW CONGRUEX SAFETY POLICIES AND GUIDELINES AT ALL TIMES WHILE WORKING.
- 4. CONSTRUCTION ZONE/ HARD HAT, SAFETY GLASSES, REFLECTIVE VEST/SHIRT, SAFETY TOE BOOTS REQUIRED WORK SAFELY



LEGENDS SHEET



INV SE CABINET CALIFOLDING CAUSET CA		EX	STING EQUIPMENTS LEGE	NDS				LONGWIND
EXISTING PED ELECTRIC METER		R/W	CABINET	pwr ELE	ECTRIC TRANSFORMER	G	GAS METER	CULVERT
EXISTING FLOWERPOT PROPERTY LINE PROPERTY LINE PROPOSED EQUIPMENTS LEGENDS			EXISTING PED	E ELE	ECTRIC METER	⊠	GAS VALVE	C/L MONUMENT
PROPOSED EQUIPMENTS LEGENDS ELECTRIC MANHOLE UNKNOWN MANHOLE UNKNOWN MANHOLE UNKNOWN MANHOLE UNKNOWN MANHOLE UNKNOWN MANHOLE UNKNOWN MANHOLE WATER METER WATER VALVE WATER VALVE FIRE HYDRANT WATER WATER MANHOLE STORM DRAIN CATCH BASIN UNLINY FASEMENT UNLINY FASEMENT WATER AND THE ELECTRIC PEDESTAL/CABINET PROPOSED EQUIPMENTS LEGENDS PROPOSED EQUIPMENTS LEGENDS ###################################			EXISTING FLOWERPOT		ECTRIC VAULT/HANDHOLE	(S)	SEWER MANHOLE	> ANCHOR & DOWN GUY
TELCO TELEPHONE CABINET TELEPHONE MANHOLE TELEPHONE MANHOLE TELEPHONE MANHOLE TELEPHONE MANHOLE TELEPHONE MANHOLE TELEPHONE CABINET TELEPHONE MANHOLE TELEPHONE CABINET TELEPHONE MANHOLE TELEPHONE TELEPHONE MANHOLE TELEPHONE MANHOLE TELEPHONE TELEP		PROPERTY LINE						
CLECTRIC GAS GAS GAS CO TELEPHONE MANHOLE STREETLIGHT FINE HYDRANT WATER VALVE FIRE HYDRANT WATER MANHOLE STORM DRAIN CATV PED WATER MANHOLE STORM DRAIN CATCH BASIN STORM DRAIN CATCH BASIN WATER MANHOLE STORM DRAIN MANHOLE STORM DRAIN MANHOLE TREE STORM DRAIN MANHOLE TREE STORM DRAIN MANHOLE TRANSFORMER PROPOSED EQUIPMENTS LEGENDS PROPOSED EQUIPMENTS LEGENDS 12"X24"X18" HANDHOLE A AERIAL STRAND A SERIAL STRAND A S		TELCO.						
TRAFFIC SIGNAL WATER WATER CABLE MARKER CATV PED WATER MANHOLE STORM DRAIN CATCH BASIN TREE SIDEWALK FIRE HYDRANT WATER MANHOLE STORM DRAIN CATCH BASIN TREE SIDEWALK FIRE HYDRANT WATER MANHOLE STORM DRAIN CATCH BASIN TREE SIDEWALK FIRE HYDRANT WATER MANHOLE STORM DRAIN CATCH BASIN TREE SIDEWALK FIRE HYDRANT WATER MANHOLE STORM DRAIN MANHOLE TRENCH 12"X24"X18" HANDHOLE 12"X24"X18" HANDHOLE 12"X36"X24" HANDHOLE 36"X48"X30" HANDHOLE 36"X48"X30" HANDHOLE	Ε	ELECTRIC	_					
WATER POLE POWER PED WATER HYDRANI CABLE MARKER CATV PED WATER MANHOLE STORM DRAIN STREET SIGN CATV VAULT/HANDHOLE STORM DRAIN CATCH BASIN TREE SIDEWALK PROPOSED EQUIPMENTS LEGENDS PROPOSED EQUIPMENTS LEGENDS PROPOSED EQUIPMENTS LEGENDS 1 2"X24"X18" HANDHOLE 1 7"X30"X18" HANDHOLE 36"X48"X30" HANDHOLE 36"X48"X30" HANDHOLE] TELEPHONE MANHOLE	Υ				
STORM DRAIN STREET SIGN STORM DRAIN CATCH BASIN TREE STORM DRAIN MANHOLE TRANSFORMER PROPOSED EQUIPMENTS LEGENDS TRANSFORMER PROPOSED EQUIPMENTS LEGENDS 12"X24"X18" HANDHOLE 17"X30"X18" HANDHOLE AERIAL FIBER AERIAL STRAND 24"X36"X24" HANDHOLE 36"X48"X30" HANDHOLE 36"X48"X30" HANDHOLE) POLE	P POV				
TREE SIGN CATV VAULT/HANDHOLE WITHITY EASEMENT WERTICAL GROUND FREE STORM DRAIN MANHOLE STORM DRAIN MANHOLE STORM DRAIN MANHOLE TREE STORM DRAIN MANHOLE TREE STORM DRAIN MANHOLE TRENSFORMER PROPOSED EQUIPMENTS LEGENDS TRENSFORMER TRENSFOR		•	CABLE MARKER	TV CAT	TV PED	(WHH)	WATER MANHOLE	
PROPOSED EQUIPMENTS LEGENDS			STREET SIGN	TV CAT	TV VAULT/HANDHOLE		STORM DRAIN CATCH BASIN	
PROPOSED EQUIPMENTS LEGENDS			VERTICAL GROUND	TRE	EE	SD	STORM DRAIN MANHOLE	
12"X24"X18" HANDHOLE		SIDEWALK	ELECTRIC PEDESTAL/CABINET		ANSFORMER			
12"X24"X18" HANDHOLE		PR	OPOSED EQUIPMENTS LEG	ENDS				
	BORE BORE	BORE	☐ 12"X24"X18" HANDHOLE					
			☐ 17"X30"X18" HANDHOLE					
			24"X36"X24" HANDHOLE					
ANCHOR & DOWN GUY			36"X48"X30" HANDHOLE					
		-	ANCHOR & DOWN GUY					




TYPICALS SHEET

PLAN VIEW




MINIMUM STANDARDS FOR DIRECTIONAL BORING STREET CROSSINGS




- PLACE END MARKER WITH UTILITY OWNER'S NAME DESCRIBING CONDUIT
- BORE PIT TO BE BACKFILLED AND COMPACTED IN 12" LIFTS WITH MATERIAL REMOVED
- FLOW OF DITCH MUST BE MAINTAINED AT ALL TIMES
- PROTECT ROOTS AT ALL TREE LOCATIONS, SHIFT BORE TRENCH IF NECESSARY

TYPICAL BORE DETAILS 1


MINIMUM STANDARDS FOR DIRECTIONAL BORING UNDER SIDEWALKS & WITHIN ROW (EXCLUDING STREET CROSSINGS)




- PLACE END MARKER WITH UTILITY OWNER'S NAME DESCRIBING CONDUIT
- BORE PIT TO BE BACKFILLED AND COMPACTED IN 12" LIFTS WITH MATERIAL REMOVED
- FLOW OF DITCH MUST BE MAINTAINED AT ALL TIMES
- PROTECT ROOTS AT ALL TREE LOCATIONS, SHIFT BORE TRENCH IF NECESSARY




ELEVATION




RISER DETAILS











30"x48"x36"

17"x30"x18" N.T.S.

