





proposed utilities will be located as closely to the property line as possible





proposed utilities will be located as closely to the property line as possible BFO 144IE 3 BM60(2) 1.25 SIDE WALK -RW STATE ST STORM SE WER · SIDEWALK 1 W ONT SUB # PREPARED BY: BARRON, WISCONSIN (608) 372-4127 но но BD/BDO 61 73 62 71 83 99 (2) (2) (9) 53AF 53F 60 50 61 LoC () (2) DP 1,25 (18x24 x18) PED/POLE/ (L) 2 (5/8) 2A (8) (M)() (2) 1441E STATION NUMBER LVT CORP CAMP DOUGLAS, WI ----536 EXCHANGE: LACROSSE 6.36 44 2 SERV. AREA: ROUTE: SHEET COUNTY: LACROSSE TWP: CITY OF LACROSSE ____ TWN: KARNG: 7W SEC: 32 STAKED: S.D.H 8-21 AS REC: CONTRACT: WILT-62 M-SC WO # 36 536 OF CONST. SHT. 636




















































TYPICAL INFORMATION REQUIRED FOR HIGHWAY PERMIT APPLICATION



Typical depth(s) of longitudinal facilities occupying highway right-of-way.



Typical depth(s) of perpendicular facilities occupying highway right-of-way.

Notes: The distances from centerline are indicated on the staking sheets (plan views) for the areas involved with construction. See the Key Map for general locations of construction corridors. Clean up for the construction process will commence immediately and be completed no later than 10 working days later. Depths reflect *minimums* for copper and fiber cables. Actual placement depths may vary depending on contract requirements.

Town:	Range:	Section(s):	
Company requesting permit:			