TASK NAME: WILC003-U-S5

TASK DESCRIPTION: AERIAL AND UG FIBER OPTIC PLACEMENT

SITE LOCATION: 2742 OAK DR, LA CROSSE, WI 54601

metronet

370 I COMMUNICATIONS WAY
EVANSVILLE, IN, 477 I 5



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

	PROJECT INFORMATION	SITE LOCATION MAP	1
TASK NAME:	WILC003-U-S5	N Richard Dr	REV DATE DESCRIPTION BY A 02/28/24 ISSUED FOR REVIEW VS
TASK DESCRIPTION:	AERIAL AND UG FIBER OPTIC PLACEMENT	Lakota Ct 35	N 62/20/21 1000ED TON NETIEN TO
SITE LOCATION:	_ 2742 OAK DR, LA CROSSE, WI 54601		
SITE TYPE:	UNDERGROUND FIBER-OPTIC CONSTRUCTION	O <sub>R</sub> to,	
JURISDICTION:	2742 OAK DR, LA CROSSE, WI 54601		I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST
APN: ZONING CLASSIFICATION:		S Richard Dr	SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.
OCCUPANCY TYPE: CONSTRUCTION TYPE:		N Marion N	
APPLICANT: ADDRESS:	METRO FIBERNET, LLC 3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715	WORK AREA	
CONTACT: PHONE:	TARAN WELCHLIN (608) 606–2043	at a start and a s	
EMAIL:	TARAN.WELCHLIN@METRONET.COM	HHIO VIIII	
NOTE: DRAWING SO	PROJECT CONSULTANTS	Robin Hood Dr	
PROJECT MANAGER: ADDRESS:	FULLERTON ENGINEERING CONSULTANTS, LLC 1100 E. WOODFIELD ROAD, SUITE 500	Pobin Hood Dr	TASK NAME
CONTACT: PHONE: EMAIL:	MICHELLE KAMINSKI (616) 262-5967 MKAMINSKI@FULLERTONENGINEERING.COM	Sherwood Park	WILC003-U-S5
ENGINEER: ADDRESS:  EOR: PHONE: EMAIL:	FULLERTON ENGINEERING CONSULTANTS, LLC 1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 DAN SMITH, P.E. 847-908-8521 DSMITH@FULLERTONENGINEERING.COM	Scarlett Dr Scarlett Dr Scarlett Dr Scarlett Dr Scarlett Dr Start Scarlett Dr	TASK DESCRIPTION AERIAL AND UG FIBER OPTIC PLACEMENT
POWER COMPANY: PHONE: TELEPHONE COMPANY:		Man de la companya de	PROJECT AREA  2742 OAK DR, LA CROSSE, WI 54601
PHONE:			
	SCOPE OF WORK	Sissippi S Marion Rd	N.T.S.
THE SCOPE OF WORK CO INSTALLATION OF: 7,302' OF UNIQUE COND 13,595' OF 1.25" CONDUI (1) L-HANDHOLE 30X48X	UIT T DIRECTIONAL BORE	Pining Control of the	SHEET TITLE  TITLE SHEET
<ul> <li>(0) M-HANDHOLE 24X36X</li> <li>(3) B-HANDHOLE 17X30X</li> <li>(11) TB- HANDHOLE 13XX</li> <li>(33) DB- HANDHOLE 11X</li> <li>APPROX. 563' OF AERIAL</li> </ul>	18(UTILITY BOX) 24X15(TERMINAL BOX) 11X10 (DROP BOX)		GRID NUMBER
	BE INSTALLED BY THE CONTRACTOR, UNLESS STATED OTHERWISE.	Pammel Creek  NO SCALE	SHEET NUMBER  T-1

NUMBER   NUMBER	SHEET	SHEET TITLE	SHEET	SHEET TITLE
T-2		TITI E SHEET	NUMBER	
T-3				
MAP-1				
MAP-1				
MAP-2				
C-011				
C-002				
C-003				
C-006				
C-006				
C-006				
C-007				
C-098				
C-009				
C-010   DESIGN LAYOUT				
C-011				
C-012   DESIGN LAYOUT   C-013   DESIGN LAYOUT   C-014   DESIGN LAYOUT   C-015   DESIGN LAYOUT   C-016   DESIGN LAYOUT   C-017   DESIGN LAYOUT   C-018   DESIGN LAYOUT   C-019   C-01	C-011			
C-013         DESIGN LAYOUT         (C-014)         (C-015)         (C-015)         (C-015)         (C-015)         (C-016)         (C-016)         (C-017)         (C-017)         (C-017)         (C-018)         (C-018)         (C-018)         (C-018)         (C-018)         (C-018)         (C-018)         (C-018)         (C-018)         (C-019)         (C-018)				
C-015         DESIGN LAYOUT           C-016         DESIGN LAYOUT           C-017         DESIGN LAYOUT           C-018         DESIGN LAYOUT           C-019         DESIGN LAYOUT           D-1         DETAILS           D-2         DETAILS           D-3         DETAILS           D-4         DETAILS           D-4         DETAILS           C-019         DETAILS	C-013			
C-016   DESIGN LAYOUT   C-017   DESIGN LAYOUT   C-018   DESIGN LAYOUT   C-019   DESIGN LAYOUT   C-019   DETAILS   C-019   C-019	C-014	DESIGN LAYOUT		
C-017         DESIGN LAYOUT           C-018         DESIGN LAYOUT           C-019         DESIGN LAYOUT           D-1         DETAILS           D-2         DETAILS           D-3         DETAILS           D-4         DETAILS           D-4         DETAILS           Included the properties of the properti	C-015	DESIGN LAYOUT		
C-018	C-016	DESIGN LAYOUT		
C-019         DESIGN LAYOUT         C-019	C-017	DESIGN LAYOUT		
D-1 DETAILS  D-2 DETAILS  D-3 DETAILS  D-4 DETAILS  DETAILS  DETAILS  DETAILS  DETAILS  DETAILS  DETAILS  DETAILS  DETAILS	C-018	DESIGN LAYOUT		
D-2 DETAILS  D-3 DETAILS  D-4 DETAILS  DETAILS  DETAILS  DETAILS	C-019	DESIGN LAYOUT		
D-3 DETAILS D-4 DETAILS  DETAILS	D-1	DETAILS		
D-4 DETAILS DETAILS	D-2	DETAILS		
	D-3	DETAILS		
TCP-1         TRAFFIC CONTROL STANDARO           COMBON TRAFFIC CONTROL STANDARO         COMBON TRAFFIC CON	D-4	DETAILS		
	TCP-1	TRAFFIC CONTROL STANDARD		

	REV. NO	REVISION	DATE:
1			
$\frac{1}{1}$			
$\frac{1}{1}$			
1			
]			
$\dagger$			
1			
$\frac{1}{1}$			
$\frac{1}{1}$			
1			
-			
$\dagger$			
$\left\{ \right.$			



3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT AREA

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.

SHEET TITLE

SHEET INDEX

GRID NUMBER

SHEET NUMBER

T-2

### **LEGEND**

	metronet  3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715
OLE	FUILER ON STRUCT  1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com
E	
	REV DATE DESCRIPTION BY A 02/28/24 ISSUED FOR REVIEW VS
LE	I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL. AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.
οx	
	TASK NAME
X	WILC003-U-S5
	TASK DESCRIPTION AERIAL AND UG FIBER OPTIC PLACEMENT
	PROJECT AREA  2742 OAK DR, LA CROSSE, WI 54601
	SHEET SCALE  N.T.S.
	SHEET TITLE  LEGEND
	GRID NUMBER

COMMU	JNICA	TIONS

	PROPOSED OPEN CUT TRENCH	HH	PROPOSED M-HANDHOLE(24X36X18)	——— ATT ———	EXISTING AT&T	(A)	EVICTING ATOT MANUAL E
	PROPOSED DIRECTIONAL BORE	В	PROPOSED B-UTILITY BOXES(17X30X18)	——————————————————————————————————————	EXISTING AT&T (ABANDON)	(A)	EXISTING AT&T MANHOLE
	PROPOSED BORE PIT	ТВ	PROPOSED TERMINAL BOXES(13X24X15)	——со——	EXISTING COMMUNICATIONS	<u>©</u>	EXISTING COMMUNICATIONS MANHOLE
LHH	PROPOSED L-HANDHOLE(30X48X24)	D8	PROPOSED DROP BOXES(11X11X12)	MCI	EXISTING MCI	(MCI)	EXISTING MCI
A	PROPOSED AERIAL FIBER			SP	EXISTING SPRINT	(SP)	EXISTING SPRINT/NEXTEL MANHOLE
				sn	EXISTING SUNESYS	(SN)	EXISTING SUNESYS MANHOLE
	SEWER			VZ	EXISTING VERIZON	(VZ)	EXISTING VERIZON MANHOLE
) ——	EXISTING SEWER MAIN	S	EXISTING SEWER MANHOLE	— UF —— —	EXISTING CITY FIBER		
——————————————————————————————————————	EXISTING SEWER MAIN (ABANDON)	(1)	EXISTING SEWER CATCH BASIN				
>	EXISTING STORM SEWER MAIN		EXISTING SEWER INLET				
S	EXISTING STORM MANHOLE				MISCELLANEOUS		
				x	EXISTING FENCE	?	EXISTING MISCELLANEOUS MANHOLE

ADA

EXISTING ADA RAMP

x	EXISTING FENCE	<b>?</b>	EXISTING MISCELLANEOUS MANHOLE
	EXISTING CONSTRUCTION FENCE	G	EXISTING GARBAGE CAN
o	EXISTING GUARDRAIL	<b>(P)</b>	EXISTING PARK DISTRICT MANHOLE
R/W	EXISTING PROPERTY LINE/ R.O.W.	M	EXISTING MONITORING WELL
<b>←</b>	EXISTING BIKE RACK	F	EXISTING FIRE ALARM
	EXISTING TREE	P	EXISTING STREET PARKING PAY BOX
	EXISTING BUSH		EXISTING PEDESTAL
•	EXISTING STREET SIGN POST	M	EXISTING MAILBOX
₿	EXISTING POST/BOLLARD	N	EXISTING NEWSPAPER BOX
¤	EXISTING GROUND LIGHT		EXISTING PHONE
<b>~</b> ○*	EXISTING UTILITY POLE	S	EXISTING SPRINKLER CONTROL BOX
Q	EXISTING STANDPIPE	<b>S</b>	EXISTING SPRINKLER VALVE

Н

EXISTING SUPPORT COLUMN

			 	_

EXISTING WATER MAIN

EXISTING WATER CAP

EXISTING WATER SHUT OFF

EXISTING FIRE CISTERN MANHOLE

— EXISTING GAS MAIN

EXISTING GAS CAP

EXISTING GAS REDUCER

	<u>DEO/ELECT</u>	<u>RIC</u>	
——Е——	EXISTING DEO/ELECTRIC	-\\\\	EXISTING STREET LIGHT POLE
SLC	EXISTING STREET LIGHT CONTROL BOX	<del>-</del> \$\psi	EXISTING TRAFFIC LIGHT POLE
TLC	EXISTING TRAFFIC LIGHT CONTROL BOX	- <b>©</b> -	EXISTING DEO POLE
	EXISTING STREET LIGHT HANDHOLE	E	EXISTING ELECTRIC MANHOLE
T	EXISTING TRAFFIC LIGHT HANDHOLE	0	EXISTING ELECTRIC HANDHOLE
	EXISTING RED LIGHT CAMERA POLE	Ē	EXISTING RED LIGHT FLASH POLE

PROPOSED

WATER

<u>GAS</u>

(W)

 $\otimes$ 

 $\otimes$ 

 $\boxtimes$ 

EXISTING WATER MANHOLE

EXISTING WATER VALVE

EXISTING WATER METER

EXISTING FIRE HYDRANT

EXISTING GAS MANHOLE

EXISTING GAS VALVE

EXISTING GAS METER

EXISTING WATER REDUCER

T-3

SHEET NUMBER

- 1. THE ENCLOSED DESIGN MAY IMPLY EXISTING UTILITIES. THE UTILITIES HAVE NOT BEEN FIELD VERIFIED FOR LOCATION. THEREFORE, ALL UTILITIES IMPLIED WITHIN THIS DOCUMENT ARE TO BE REFERRED TO AS A "REFERENCE TOOL". IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR AND/OR IT'S SUBCONTRACTOR TO VERIFY THESE UTILITIES USING ANY AND ALL METHODS AND INSTRUMENTS AVAILABLE IF/WHEN NECESSARY. FULLERTON CANNOT IN GOOD FAITH GUARANTEE UTILITY LOCATIONS. ANY AND ALL DOCUMENTATION ON EXISTING UTILITIES HAS BEEN IMPLIED UTILIZING INFORMATION RETRIEVAL PROCESSES FROM EACH JURISDICTION INVOLVED (STATE, COUNTY AND/OR MUNICIPALITY, TO INCLUDE OTHERS).
- 2. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO ENSURE ALL CONDUITS ARE PLACED WITHIN THE GIVEN & DEDICATED SPACE LICENSED FOR THIS PARTICULAR CLIENT. FULLERTON ENGINEERING CONSULTANTS, INC. (FULLERTON) WAS NOT RETAINED FOR THE PURPOSE OF SUPPORTING A SURVEY OF THE AREA AND PROPERTY BOUNDARIES, THEREFORE FULLERTON CAN NOT AND WILL NOT SUPPORT THE ACCURACY OF ANY IMPLIED BOUNDARY (I.E. PUBLIC WAY, PRIVATE PROPERTY, EASEMENT ETC.) NOR IS IT TO BE ASSUMED THAT THE SALE OF PROPERTIES HAS NOT OCCURRED DURING & AFTER FULLERTON'S RESPONSIBILITIES FOR THIS PROJECT HAVE PAST. ALL BOUNDARIES, EASEMENTS, PROPERTY LINES, ETC. ARE TO BE USED AS A GUIDELINE OR REFERENCE AND SHOULD NOT BE TAKEN LITERALLY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO HAVE ASSOCIATED BOUNDARIES SURVEY STAKED IF SO QUESTIONED. ALL ASPECTS OF BOUNDARIES IMPLIED HEREIN, HAVE BEEN DERIVED THROUGH AVAILABLE MEDIA SUCH AS BUT NOT LIMITED TO (SIDWELL, GOOGLE EARTH PRO. MUNICIPAL, STATE, COUNTY, GIS, AND OTHER RECORD TYPES). FULLERTON DOES NOT AGREE NOR DISAGREE WITH THE ABOVE-MENTIONED RECORDS AS THEY ARE USED JUST A REFERENCE TOOL.
- 3. ALL BURIED OBSTRUCTIONS KNOWN BY FULLERTON ARE SHOWN ON THE CONSTRUCTION DRAWINGS. ANY AND ALL OTHERS ENCOUNTERED DURING CONSTRUCTION ARE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE AND PROTECT.
- 4. CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES 48 HOURS PRIOR TO CONSTRUCTION ACTIVITY
- 5. SHORING MAY BE REQUIRED AND SHALL COMPLY TO O.S.H.A. STANDARDS.
- 6. ALL BURIED CONDUIT/CABLE WILL BE PLACED AT MINIMUM 30-48" COVER UNLESS SPECIFIED OR OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS.
- ANY AND ALL IMPROVEMENTS, IF DAMAGED, SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION. THIS INCLUDES BUT IS
  NOT LIMITED TO: ASPHALT, CONCRETE PAVEMENT, CURBS, GUTTERS, SIDEWALKS, DRAINAGE DITCHES, EMBANKMENTS, SHRUBS,
  TREES, GRASS SOD, ETC..
- 8. ALL FIBER INSTALLATIONS SHALL OBSERVE A MINIMUM DYNAMIC BEND RADIUS OF 20X THE CABLE DIAMETER FOR ALL OSP FIBER SHEATHS AND 15X THE CABLE DIAMETER FOR ALL ISP FIBER SHEATHS. ADDITIONALLY, ALL INSTALLATIONS SHALL OBSERVE A MINIMUM STATIC BEND RADIUS OF 15X THE CABLE DIAMETER FOR ALL OSP FIBER SHEATHS AND 10X THE CABLE DIAMETER FOR ALL ISP FIBER SHEATHS. IF THE MANUFACTURER'S SPECIFICATIONS FOR BEND RADIUS ARE GREATER, THEN THEY SHALL BE FOIL OWED.
- 9. ALL NEW METALLIC AERIAL STRAND SHALL BE BONDED/GROUNDED (PREFERABLY TO THE POWER COMPANY NEUTRAL) PER LOCAL REQUIREMENTS. AT A MINIMUM, THE BONDING/GROUNDING PATTERN SHALL BE THE FIRST AND LAST POLE OF A RUN AND EVERY TENTH POLE IN THE RUN. SHOULD ONE OF THESE DESIGNATED POLES SUPPORT A POWER TRANSFORMER, THE POLES ON EITHER SIDE OF SAID POLE SHALL BE BONDED/GROUNDED AND THE PATTERN SHOULD CONTINUE EVERY TENTH POLE FROM THAT STARTING POINT.
- 10. ALL AERIAL FIBER OPTIC CABLES SHALL BE SECURELY LASHED TO AERIAL STRAND BY METHOD OF MECHANICAL LASHING CARRIAGE OR APPROVED EQUAL.
- 11. ALL FIBER OPTIC CABLES INSTALLED BELOW GRADE SHALL BE OF AN ARMORED VARIETY WITH METALLIC INNER SHEATH, OR BE PLACED WITH A METALLIC LOCATING WIRE TO FACILITATE FUTURE LOCATING SERVICES.
- 12. ALL CONDUIT OR DUCT CONSTRUCTION SHALL INCLUDE THE PLACEMENT OF PULLING TAPE OF SUFFICIENT SIZE AND GRADE TO FACILITATE THE INSTALLATION OF THE SPECIFIED FIBER TYPE THROUGH CONDUIT BEING UTILIZED (JETLINE USE TO BE APPROVED BY CLIENT).
- 13. ALL FUSION SPLICING SHALL BE COMPLETED BY A QUALIFIED FIBER SPLICER IN A CLEAN TEMPERATURE CONTROLLED TRUCK, TRAILER, OR SHELTER SPECIFICALLY TOOLED OR DESIGNED FOR THE PURPOSE OF FUSION SPLICING FIBER OPTIC CABLES IN A FIELD ENVIRONMENT.
- 14. ALL MECHANICAL SPLICES AND FACTORY ENDS SHALL BE KEPT CLEAN AND FREE FROM DUST, DIRT, OILS, AND SMEARS. CARE SHOULD BE TAKEN TO MATCH POLISH TYPES ON FACTORY ENDS.
- 15. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO WORK IDENTIFIED AS UNACCEPTABLE BY CLIENT, ENGINEER, OR INSPECTOR, DURING SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING. CONTRACTOR SHALL ALSO PROVIDE ALL AS-BUILT INFORMATION UPON COMPLETION OF INSPECTION.
- 16. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH. AT THE COMPLETION OF THE WORK, CONTRACTOR SHALL REMOVE FROM THE SITE ALL REMAINING RUBBISH, IMPLEMENTS, TEMPORARY FACILITIES, AND SURPLUS MATERIALS. CONTRACTOR TO RETURN SITE TO PREVIOUS OR BETTER CONDITION.
- 17. DRAWINGS ARE INTENDED TO SHOW DESIGN INTENT. CONTRACTOR SHALL PROVIDE MATERIALS AND LABOR AS REQUIRED TO PRODUCE A COMPLETE AND FUNCTIONING SYSTEM WHILE MEETING ALL CODES AND SPECIFICATIONS. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS. SUCH MODIFICATIONS SHALL BE INCLUDED IN THE WORK. SAID DESIGN IS INTENDED TO AVOID DISRUPTION OF ANY HANDICAP RAMPS OR STRUCTURES AS DESCRIBED PER THE AMERICANS WITH DISABILITIES ACT OF 1990.
- 18. CONTRACTOR SHALL WORK WITH CLIENT TO IDENTIFY ALL CONTRACTOR SUPPLIED MATERIALS TO CONSTRUCT NETWORK PER

#### SPECIFICATIONS.

- 19. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, EQUIPMENT, LABOR, INSTALLATION, RESTORATION, UTILITY RELOCATION CHARGES, JOB SITE DELIVERY COSTS AND INCIDENTALS TO COMPLETE THE DESCRIBED OR ILLUSTRATED WORK UNDER THIS CONTRACT
- 20. ANY CHANGE-ORDER REQUEST MUST BE PRESENTED IN WRITING TO THE OWNER'S REPRESENTATIVE AND APPROVED PRIOR TO PROCEEDING WITH THE REQUESTED CHANGE.
- 21. THE ENGINEER WILL NOT BE RESPONSIBLE NOR ASSUME ANY LIABILITY FOR NEGLIGENT ACTS OR ERRORS OF OMISSIONS OF ANY CONTRACTOR, ANY SUBCONTRACTOR, OR ANY OF THE PERSONS (EXCEPT ENGINEER'S OWN EMPLOYEES) AT THE PROJECT SITE OR OTHERWISE PERFORMING ANY OF THE WORK OF THE PROJECT. ANY CONTRACTOR OR SUBCONTRACTOR, AS WELL AS THE ENGINEER, WILL BE RESPONSIBLE FOR HIS OWN SAFETY PROGRAM. NEITHER THE PROFESSIONAL ACTIVITIES OF THE ENGINEER, NOR THE PRESENCE OF THE ENGINEER OR HIS OR HER EMPLOYEES AND SUB-CONSULTANTS AT THE CONSTRUCTION SITE, SHALL RELIEVE ANY CONTRACTOR OF HIS OR HER OBLIGATIONS, DUTIES AND RESPONSIBILITIES INCLUDING, BUT NOT LIMITED TO, CONSTRUCTION MEANS, METHODS, SEQUENCE, TECHNIQUES OR PROCEDURES NECESSARY FOR PERFORMING, SUPERINTENDING OR COORDINATING ALL PORTIONS OF THE WORK OF CONSTRUCTION IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND ANY HEALTH OR SAFETY PRECAUTIONS REQUIRED BY ANY REGULATORY AGENCIES. THE ENGINEER AND HIS OR HER PERSONNEL HAVE NO AUTHORITY TO EXERCISE ANY CONTROL OVER ANY CONSTRUCTION CONTRACTOR OR OTHER ENTITY OR THEIR EMPLOYEES IN CONNECTION WITH ANY HEALTH OR SAFETY PRECAUTIONS.
- 22. ALL MATERIALS INSTALLED WITHIN THE LIMITS OF THIS PROJECT SHALL BE IN CONFORMANCE WITH STANDARD RECOMMENDATIONS OF THE NATIONAL ELECTRIC MANUFACTURER'S ASSOCIATION (NEMA) AND THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI).
- 23. THE CONTRACTOR SHALL OBTAIN ALL PERMITS AND COMPLY WITH THE REQUIREMENTS OF ALL AGENCIES HAVING JURISDICTION OVER THE WORK AND SHALL COORDINATE HIS WORK WITH THE WORK PERFORMED BY OTHERS FOR THE PURPOSE OF INSTALLATION. THIS INCLUDES, BUT IS NOT LIMITED TO, ALL WORK WITH ALL PUBLIC AND PRIVATE UTILITIES AS WELL AS CITY AND STATE AGENCIES.
- 24. CONTRACTOR SHALL RECORD THE LOCATION AND ELEVATION OF ALL UTILITIES ENCOUNTERED, AND INSTALLATION OF NEW WORK, AS THE WORK PROGRESSES AND SHALL PREPARE RECORD DRAWINGS (RED-LINES) BASED ON HIS RECORDS. AS A PART OF THE RECORD DRAWINGS, CONTRACTOR SHALL ALSO PROVIDE HORIZONTAL AND VERTICAL CONFIGURATION OF CONDUITS WHERE MULTIPLE CONDUITS ARE INSTALLED. THESE RECORDS ARE TO BE SUPPLIED TO FULLERTON ENGINEERING AT COMPLETION OF WORK
- 25. MAINTAIN MORE THAN 2'-0" VERTICAL CLEARANCE AND MORE THAN 4'-0" HORIZONTAL CLEARANCE BETWEEN EXISTING SEWER OR SEWER STRUCTURES AND UTILITY. IF CITY SEWER FACILITIES ARE DAMAGED DURING CONSTRUCTION, IT MUST BE REPORTED TO CITY ENGINEERING SECTION AND MUST BE REPAIRED BY A LICENSED DRAIN LAYER UNDER THE SUPERVISION OF THE MASON INSPECTOR
- 26. NO STORAGE OF EQUIPMENT OR MATERIALS IN THE ROADWAY IS PERMITTED UNLESS THE CONTRACTOR OBTAINS WRITTEN PERMISSION FROM THE CITY, STATE, AND/OR GOVERNING BODY.
- 27. CONTRACTOR RESPONSIBLE FOR OBTAINING AND PROVIDING REVIEW AND DESIGN OF ANY AND ALL SHORING SYSTEMS PRIOR TO CONSTRUCTION.
- 28. THE ENGINEER SHALL BE NOTIFIED FOR DISPOSITION OF SITUATIONS WHERE THE CONDUIT CANNOT MAINTAIN SEPARATIONS PER PLAN.
- 29. THE CONTRACTOR IS RESPONSIBLE FOR THE RESTORATION OF THE AREAS DISTURBED BY CONSTRUCTION ACTIVITIES.

  CONTRACTOR IS TO PAY ALL FEES AND OBTAIN ALL PERMITS FOR RESTORATION. CONTRACTOR IS TO RESTORE ALL DAMAGED STRUCTURES AND UTILITIES TO THE SATISFACTION OF THE FACILITY OWNER OR THE GOVERNING BODY, IN THE EVENT THAT DAMAGE OCCURS
- 30. USE EXTREME CAUTION NEAR ALL GAS FACILITIES DURING CONSTRUCTION AND RELATED EXCAVATION ACTIVITIES, HAND EXCAVATION IS REQUIRED TO VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF GAS MAIN(S) PRIOR TO CROSSING AND WORKING WITHIN 3 FEET OF ALL GAS FACILITIES. A MINIMUM OF 3 FEET HORIZONTAL EDGE TO EDGE CLEARANCE IS REQUIRED FOR GAS MAINS WITH DIAMETERS OF 16 INCHES OR SMALLER, AND 5 FEET EDGE TO EDGE CLEARANCE FOR GAS MAINS WITH DIAMETERS 18 INCHES AND LARGER IN DIAMETER. THE USE OF CONCRETE, FLOW FILL, OR THE LIKE IS PROHIBITED WITHIN 24 INCHES OF ALL GAS FACILITIES, NOR SHALL IT ENCASE ANY GAS FACILITY. SAND IS TO BE USED AS A BUFFER BETWEEN FLOWABLE FILL AND ALL GAS FACILITIES, ANY DAMAGE TO GAS FACILITIES SHALL BE THE RESPONSIBILITY OF THE INSTALLING UTILITY AND THEIR CONTRACTORS.

### metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN. 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAM

WILC003-U-S5

TASK DESCRIPTION

#### AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT AREA

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.


SHEET TITLE

**GENERAL NOTES** 

GRID NUMBER

SHEET NUMBER

GN





3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

#### AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT AREA

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.

SHEET TITLE

MAP

GRID NUMBER

SHEET NUMBER

MAP-1

PLANSET

11'x17' SCALE: NTS
24'x36' SCALE: NTS



3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 www.fullerton-us.com

REV	DATE	DE:	SCRIPT	ION	BY
Α	02/28/24	ISSUED	FOR	REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.


SHEET TITLE


MAP

GRID NUMBER


SHEET NUMBER


MAP-2





#### MATCHLINE - SHEET C-001





NOTE:

INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5'

CLEARANCE FROM MANHOLES AND CATCH BASINS.

#### NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.



### metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY			
Α	02/28/24	ISSUED FOR REVIEW	VS			

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

#### **AERIAL AND UG FIBER** OPTIC PLACEMENT

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

1" = 30'-0"

SHEET TITLE

**DESIGN LAYOUT** 

GRID NUMBER

SHEET NUMBER

C-002

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING

### MATCHLINE - SHEET C-002 14POL 2948 S MARION RD, LA CROSSE, WI 54601 STA: 4+42 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) PARCEL LINES -08 18. 2956 S MARION RD, LA 160 LINEAR FEET OF PROPOSED 2-1.25" CROSSE, WI 54601 HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) STA: 5+92 PROPOSED TB-13X24X15 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 2964 S MARION RD, LA CROSSE, WI 54601 148 LINEAR FEET OF PROPOSED 2-1.25" -HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION STA: 7+40 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 51 LINEAR FEET OF PROPOSED 2-1.25" -HDPE CONDUIT FOR FIBER VIA Know what's **below.** DIRECTIONAL BORE **Call** before you dig. (SEE STANDARD CONSTRUCTION

#### NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715

metronet



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIFF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

#### **AERIAL AND UG FIBER** OPTIC PLACEMENT

2742 OAK DR, LA CROSSE, WI

SHEET SCALE

1" = 30'-0"

SHEET TITLE

**DESIGN LAYOUT** 

GRID NUMBER

SHEET NUMBER

C-003


METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5'

MATCHLINE - SHEET C-004

CLEARANCE FROM MANHOLES AND CATCH BASINS.

NOTE:

#### MATCHLINE - SHEET C-003





### metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

1" = 30'-0"

SHEET TITLE

**DESIGN LAYOUT** 

GRID NUMBER

SHEET NUMBER

C-004

NOTE:


PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS

 BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE

• MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.



METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.



#### MATCHLINE - SHEET C-007 -0+48 -20+12 – 48 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION -14+89 4909 NOTTINGHAM AVE, AVE 24: WILCO03-E05 ] LA CROSSE, WI 54601 DETAILS SHEET) DB-B: 161' NOTTINGHAM PR C-00 0+00 93 LINEAR FEET OF PROPOSED -2-1.25" HDPE CONDUIT FOR 137 LINEAR FEET OF PROPOSED 2-1.25" FIBER VIA DIRECTIONAL BORE HDPE CONDUIT FOR FIBER VIA (SEE STANDARD DIRECTIONAL BORE CONSTRUCTION DETAILS SHEET) (SEE STANDARD CONSTRUCTION SHE DETAILS SHEET) STA: 15+82 -STA: 0+00 PROPOSED B-17X30X18 COMMUNICATIONS HANDHOLE 4915 NOTTINGHAM AVE, (SEE STANDARD CONSTRUCTION MATCHLINE LA CROSSE, WI 54601 DETAILS SHEET) 293 LINEAR FEET OF PROPOSED — 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) STA:18+75 PROPOSED B-17X30X18 Call before you dig. COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION DETAILS SHEET)

#### NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

#### NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.



3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY	
Α	02/28/24	ISSUED FOR REVIEW	VS	
		·		

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT AR

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

C-006

#### MATCHLINE - SHEET C-008 -3+12 4832 NOTTINGHAM AVE. 22+66 LA CROSSE, WI 54601 DB-DB: 73' 22 LINEAR FEET OF PROPOSED 2-1.25" 4839 NOTTINGHAM AVE, -2+90 HDPE CONDUIT FOR FIBER VIA -2+87 LA CROSSE, WI 54601 (SEE STANDARD CONSTRUCTION - 73 LINEAR FEET OF PROPOSED 151 DETAILS SHEET) I-I.25" HDPE CONDUIT FOR FIBER 81 LINEAR FEET OF PROPOSED 2-1,25" VIA DIRECTIONAL BORE HDPE CONDUIT FOR FIBER VIA -<u>1</u>B: (SEE STANDARD CONSTRUCTION DIRECTIONAL BORE DETAILS SHEET) (SEE STANDARD CONSTRUCTION DETAILS SHEET) $\geq$ – STA: 0+73 PROPOSED DB-11X11X10 - STA: 2+90 NOTTINGHAM COMMUNICATIONS HANDHOLE PROPOSED DB-IIXIIXIO STA: 21+85 (SEE STANDARD CONSTRUCTION COMMUNICATIONS HANDHOLE PROPOSED DB-IIXIIXI0 DETAILS SHEET) (SEE STANDARD CONSTRUCTION COMMUNICATIONS HANDHOLE DETAILS SHEET) (SEE STANDARD CONSTRUCTION DETAILS SHEET) 21+85 4840 NOTTINGHAM AVE, LA CROSSE, WI 54601 I IS LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER 4847 NOTTINGHAM AVE, VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) 3055 S MARION RD, LA LA CROSSE, WI 54601 CROSSE, WI 54601 STA:1+75 PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE 150 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA (SEE STANDARD CONSTRUCTION DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) WILC003-E07 DB-DB: 4901 NOTTINGHAM AVE, DRIVEWAY LA CROSSE, WI 54601 TASK NAME 1+11-DRIVEWAY STA:20+35 -PROPOSED DB-11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION 140 LINEAR FEET OF PROPOSED 2-1.25" -DETAILS SHEET) HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION **DETAILS SHEET)** 20+35-3072 S MARION RD, LA 23 LINEAR FEET OF PROPOSED 2-1.25" 3064 S MARION RD, LA ά CROSSE, WI 54601 SHEET SCALE HDPE CONDUIT FOR FIBER VIA CROSSE, WI 54601 DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION DETAILS SHEET) *−*0+48 -20+12MATCHLINE - SHEET C-006 MATCHLINE - SHEET C-006

#### NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

# ow what's **below.** Call before you dig.

#### NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS



### metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY	
Α	02/28/24	ISSUED FOR REVIEW	VS	

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

WILC003-U-S5

TASK DESCRIPTION

#### AERIAL AND UG FIBER OPTIC PLACEMENT

2742 OAK DR, LA CROSSE, WI

1" = 30'-0"


SHEET TITLE


**DESIGN LAYOUT** 

GRID NUMBER

SHEET NUMBER

C-007





#### NOTE:

- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.



#### NOTE:

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.



EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY	
Α	02/28/24	ISSUED FOR REVIEW	VS	
		·		

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

#### AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

1" = 30'-0"

SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER

C-009



3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECI AREA

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

1" = 30'-0"


SHEET TITLE

DESIGN LAYOUT

GRID NUMBER

SHEET NUMBER


C-010





#### NOTE:


- PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS
- BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. UNDER HARD SURFACE
- MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.

METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' CLEARANCE FROM MANHOLES AND CATCH BASINS.













#### MATCHLINE - SHEET C-018 metronet 3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715 PROPOSED AERIAL FIBER 3130 N MARION RD. LA 1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11 CROSSE, WI 54601 3120 N MARION RD, LA CROSSE, WI 54601 STA: 0+00 START CONSTRUCTION OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER AT EXISTING UTILITY POLE 24: WILC003-F04 A 02/28/24 ISSUED FOR REVIEW 5 P-DB: 170' ပ် I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES. SHE – 170 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE (SEE STANDARD CONSTRUCTION **-2+82** DETAILS SHEET) MATCHLIN – 112 LINEAR FEET OF PROPOSED 2-1.25" HDPE CONDUIT FOR FIBER VIA DIRECTIONAL BORE PROPOSED AERIAL FIBER – STA: 1+70 PROPOSED DB -11X11X10 COMMUNICATIONS HANDHOLE (SEE STANDARD CONSTRUCTION (SEE STANDARD CONSTRUCTION DETAILS SHEET) 3121 ROBIN HOOD DR, LA CROSSE, WI 54601 3131 ROBIN HOOD DR, TASK NAME LA CROSSE, WI 54601 WILC003-U-S5 3135 ROBIN HOOD DR. LA CROSSE, WI 54601 TASK DESCRIPTION **AERIAL AND UG FIBER** OPTIC PLACEMENT 2742 OAK DR, LA CROSSE, WI 54601 SHEET SCALE ROBIN HOOD DR 1" = 30'-0" SHEET TITLE **DESIGN LAYOUT** MATCHLINE - SHEET C-014 GRID NUMBER NOTE: NOTE: PROPOSED CONDUIT SHALL AVOID EXISTING SEEPAGE BEDS METRONET WILL MAINTAIN 5' CLEARANCE FROM EXISTING BURY AT 24" MIN. UNDER SOFT SURFACE-BURY AT 36" MIN. SHEET NUMBER Know what's **below**. INLETS, MANHOLES, VALVES, AND FIRE HYDRANTS & 7.5' UNDER HARD SURFACE Call before you dig. CLEARANCE FROM MANHOLES AND CATCH BASINS. C-015 MAINTAIN 1' FROM BACK OF SIDEWALK, WHEN APPLICABLE.









NOTE:


#### **ADDITIONAL NOTES:**


- 1. EXCEPT AS OTHERWISE NOTED, CONTRACTOR SHALL MAINTAIN A MINIMUM OF 24 INCHES OF SEPARATION FROM EXISTING UTILITIES.
- 2. CONTRACTOR SHALL POTHOLE EACH UTILITY TO DETERMINE SIZE, LOCATION, AND DEPTH PRIOR TO CROSSING.
- 3. CONTRACTOR IS CAUTIONED TO PROTECT SEWER MANHOLES, CATCH BASINS, LATERALS AND INLETS.
- 4. CONTRACTOR WILL PROVIDE BARRICADING TO INSURE CORRECT TRAFFIC CONTROL WHILE MAINTAINING VEHICULAR TRAFFIC AT ALL TIMES.
- 5. RESTORATION TO BE IN COMPLIANCE WITH APPLICABLE PERMITING AGENCIES
- 6. BONDING AND GROUNDING PER NESC.

#### **PUBLIC UTILITY NOTE:**

CONTRACTOR SHALL NOTIFY ALL PUBLIC UTILITY COMPANIES (GAS, ELECTRIC, TELEPHONE, SEWER, WATER, ETC) PRIOR TO COMMENCING ANY CONSTRUCTION.

THESE COMPANIES WILL LOCATE, ON THE GROUND, THE LOCATION OF ALL CONDUITS, DUCTS, UNDERGROUND PIPING, ETC., ADJOINING & CROSSING PROPOSED CONSTRUCTION.







3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	8

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.


SHEET TITLE

DETAILS


GRID NUMBER


SHEET NUMBER

D.




CHANNELL





MADE IN USA

CHANNELL







1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

EV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

CHANNELL

WILC003-U-S5

TASK DESCRIPTION

#### **AERIAL AND UG FIBER OPTIC PLACEMENT**

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.

SHEET TITLE

**DETAILS** 

GRID NUMBER

SHEET NUMBER

D-2

PROJECT# 2023.0119.0017



### **DATA SHEET**

# **SGLB-0** NEW SIGNATURE SERIES GRADE LEVEL BOX WITH **SELFLOCK** PROTECTION





# **SELFLOCK**<sup>TM</sup>

The New Signature Series SGLB High Density Polyethylene (HDPE) grade level box line come standard with Logo Disk and the Patented **SELFLOCK** automatic locking mechanism.

#### **FEATURES**

- 13" (330mm) Depth
- No bolts to be lost, misplaced, or not installed back into the unit

- Captive bolt device, that opens with a ¼ turn
- Press/Push lid closed, and it will automatically lock in place (with an audible "click")
- Protects your investment, and ensures the needed protection for your network
- Eliminates the risk of lids floating off, being throw be lawnmowers (i.e. reduces potentially liability)

#### SIMPLE AND WORRY FREE PROTECTION









SELFLOCK closes and seals with audible "Click" Captive bolt device of

Captive bolt device opens with only 1/4 turn

Shown with Optional Marker Locate Device

#### **DIMENSIONS**







Where The Industry Connects.

WORLDWIDE HEADQUARTERS: Channell Commercial Corporation, Rockwall, TX, United States • Tel 800.423.1863 • Fax 951.296.2322

CANADA: Channell Canada, Inc., Mississauga, ON, Canada • Tel 905.565.1700 • Fax 905.565.8282

EUROPE, MIDDLE EAST, AFRICA: Channell Ltd., Dartford, United Kingdom • Tel 44.1322.312590 • Fax 44.1322.508490

AUSTRALIA, ASIA, PACIFIC RIM: Channell Pty. Ltd., Seven Hills, NSW, Australia • Tel 61.2.8884.4111 • Fax 61.2.8814.8841

#### www.channell.com

All specifications subject to change without notice. © 2022 Channell Commercial Corporation. All rights reserved.

040822 FRT

## metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN. 47715



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY		
Α	02/28/24	ISSUED FOR REVIEW	VS		

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.

SHEET TITLE

DETAILS


GRID NUMBER


SHEET NUMBER

D-:


#### NOTES:

- T. CALL FOR LOCATES AT LEAST 72 HOURS IN ADVANCE OF ANY CONSTRUCTION FOR MARKINGS.
- 2. FOR LABEL AND TAG INFORMATION SEE DRAWING OSP 16.
- 3. THE VAULT W/ BOTTOM ENTRY ELEVATION WIEW SHOWN BELOW ONLY INDICATES THE BACK FILL REQUIREMENTS INCCESSARY FOR VAULTS IPLACED IN SIDEWALKS, ETC. (WHERE THEY NEED TO COMPLY WITH ADA REQUIREMENTS), TO ENSURE COMPLIANCE WITH CURRENT ADA REQUIREMENTS, THE HEIGHT OF THE BACK TILL IS SHOWN HELD DOWN TO ALLOW CONCRETE TO FLOW DOWN AND AROUND THE LIFTING LUGS/BOLTS WHICH WILL SERVE AS DOWELS INTO THE FINISHED CONCRETE SLAB,






VAULT W/ BOTTOM ENTRY



#### NOTE:

1. ENCLOSURES, BOXES AND COVERS ARE REQUIRED TO MEET OR EXCEED ALL TESTS PROVISIONS OF THE MOST CURRENT ANSI/SCIE 77=2007 "SPECIFICATIONS FOR UNDERGROUND INTEGRITY" FOR THER 15 OR BETTER.



#### ADA REQUIREMENTS:

SURFACE LEVEL CRITERIA: NO HEIGHT DIFFERENTIALS WITH A LIP GREATER THAN X IN HEIGHT, EXCEPTIONS: A HEIGHT DIFFERENTIAL BETWEEN X AND X IS ACCEPTABLE IF IT IS BEVELED AT A 2:1 SLOPE; OR A HEIGHT DIFFERENTIAL GREATER. THAN 1/2 IS ACCEPTABLE IF IT IS RAMPED WITH A SLOPE OF 8.53% (1V.T2H) OR LESS.

UTILITY COVERS SHALL HAVE A SUP RESISTANT TOP, AS MUCH AS POSSIBLE, AND MEET CHANGES IN LEVEL CRITERIA AS STATED ABOVE.

LIET HOLES FOR UTILITY COVERS SHALL NOT HAVE AN OPENING GREATER THAN Y. PLUGGING OF HOLES GREATER THAN 'X WITH A MATERIAL APPROVED BY THE ENGINEER IS ACCEPTABLE AS LONG AS IT IS FLUSH WITH THE COVER SURFACE.

A LEVEL PEDESTRIAN ACCESS ROUTE (PAR) OR WALKWAY SHALL BE PROVIDED ACROSS COMMERCIAL AND RESIDENTAL ENTRANCES, MEETING THE FOLLOWING CRITERIA:


THE WALKWAY IS AT MINIMUM 3 WIDE

GROSS SLOPE OF WALKWAY IS 2% OR LESS.

WALKWAY IS AT THE SAME GRADE AS THE ADJACENT ROADWAY.

THE WALKWAY DOES NOT HAVE TO BE MARKED, BUT PROVIDES A STRAIGHT LINE BETWEEN THE ADJOINING SIDEWALKS OR RAMPS.

THERE IS NOT AN ABRUPT TRANSITION FROM THE DRIVEWAY TO THE ROADWAY FOR VEHICLES, I.E., VEHICLES WILL NOT BOTTOM OUT WHEN DRIVING OVER THE TRANSITION.



PEDESTRIAN ACCESS ROUTE



3701 COMMUNICATIONS WAY EVANSVILLE, IN. 47715



1100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

EV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

#### AERIAL AND UG FIBER OPTIC PLACEMENT

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.


SHEET TITLE

**DETAILS** 

GRID NUMBER


SHEET NUMBER

PROJECT# 2023.0119.0017



#### **Notes**

- 1. Additional advance warning may be necessary.
- 2. Only the traffic control devices related to pedestrians are shown. Other devices may be needed to control traffic on the streets such as lane closure signs, ROAD NARROWS or LANE NARROWS signs.
- 3. For nighttime closures, Type A flashing warning lights may be used on barricades supporting signs and closing walkways.
- 4. Audible devices should be considered to alert pedestrians with visual disabilities of closings and crosswalk changes.



#### Notes

- 1. Additional advance warning may be necessary.
- 2. Only the traffic control devices related to pedestrians are shown. Other devices such as lane closure signs, ROAD NARROWS or LANE NARROWS signs may be needed to control traffic on the streets.
- 3. For nighttime closures, Type A flashing warning lights may be used on barricades supporting signs and closing walkways. Type C or Type D steady-burn lights may be used on channelizing devices separating the temporary walkway from vehicular traffic.
- 4. Where high speeds are likely, a barrier should separate the temporary walkway from vehicular traffic. Refer to Section 6D.01of Part 6 of the MUTCD for information on barriers.
- 5. Signs may be placed along a temporary walkway to guide pedestrians; for example, Keep Right or Keep Left signs.
- 6. Pedestrian walkways should be ADA accessible (i.e., ramps, surfaces).

### metronet

3701 COMMUNICATIONS WAY EVANSVILLE, IN, 47715



I 100 E. WOODFIELD ROAD, SUITE 500 SCHAUMBURG, ILLINOIS 60173 TEL: 847-908-8400 COA# 3620-11

REV	DATE	DESCRIPTION	BY
Α	02/28/24	ISSUED FOR REVIEW	VS

I HEREBY CERTIFY THAT THESE DRAWINGS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CONTROL, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE CODES.

TASK NAME

WILC003-U-S5

TASK DESCRIPTION

# AERIAL AND UG FIBER OPTIC PLACEMENT

PROJECT ARE

2742 OAK DR, LA CROSSE, WI 54601

SHEET SCALE

N.T.S.

SHEET TITLE

TRAFFIC CONTROL STANDARD DETAILS

GRID NUMBER

SHEET NUMBER

TCP-1