110 Series
Aluminum AFO-
Rall
42 inch
42” h

AFCO
Columns and Railings

ALUMINUM PRODUCT FINISHES



GLOSS WHITE



WHITE TEX



WICKER

BRONZE TEX



CLAY

BLACK TEX

BROWN TEX

STRUCTURE & STYLE

www.afcocolumnsandrailings.com

pinterest.com/AFCOColsRails
fb.com/AFCOColsRails @AFCOColsRails
houzz.com/pro/AFCOColsRails @afcocolsrails

SERIES **225**

Three rail design combined with flat top rail aesthetics

Features a third mid-rail just below the top rail.

Allows for different configurations of the short balusters between the top and the mid-rail.

SERIES **275**

A sleek cable look in the Series 200 design

Combines the flat top rail of Series 200 with horizontal stainless steel cable.

Pre-drilled 3" aluminum posts available for both Line and Corner applications

Slotted Cable Stair Post
Intermediate post slotted holes for cable stair run

SERIES **225**

Rail Kit

- Used in Conjunction with a Compatible Series 200 Rail Kit

Infill Options

- Series 225 Kit Available in Four Different Configurations A, B, C or D
- Series 225 Kit Includes:
  - Mid-Rail
  - Mid-Rail Mounting Brackets
  - Mounting Hardware
  - Exact Count of Long and Short Balusters Based on Configuration
- 3/4" Round or Square Baluster
- Cut to Length for 36" or 42" Installed Rail Height

Configurations

Style Options

Level

Fixed Stair
Accommodates 32 to 36 degrees

Style	Length				Height		Baluster Style		Configuration			
	4′	6′	8′	10′	36″	42″	Square	Round	A	B	C	D
Level	•	•	•	•	•	•	•	•	•	•	•	•
Fixed Stair	•	•	•		•	•	•	•	•	•	•	•

SERIES **275**

Rail Kit

- Flat Top Rail with Stabilizer Baluster Connector Attached
- Bottom Rail with Stabilizer Baluster Connector Attached
- Pre-Drilled Stabilizer Baluster
- Top and Bottom Rail Mounting Brackets
- Support Block Material
- Mounting Hardware

Infill Options

- 1/8" Braided 316 Stainless Steel Cable with 2-3/4" pre-swaged threaded stud and mounting hardware.
- Terminating fittings, for both Line and Corner run applications, packaged separately.

Corner Fitting

Line Fitting

Post Options

- Line Posts pre-drilled on opposing sides for cable runs.
- Corner Posts pre-drilled on opposing sides for cable runs and threaded on middle side for corner fitting.

Style Options

Level

Fixed Stair
Accommodates 32 to 36 degrees

Rail Style	Length				Height		Cable Length					
	4′	6′	8′	10′	36″	42″	5′	10′	15′	20′	30′	50′
Level		•			•	•	•	•	•	•	•	•
Fixed Stair		•			•	•						

Post Style	Height	
	38"	44"
Line	•	•
Corner	•	•