



Tony Evers, Governor
Dan Hereth, Secretary

July 3, 2025

CHRISTOPHER C OLSON
GALILEO CONSULTING GROUP
2045 32ND ST S
LA CROSSE, WI 54601

Identification Numbers

Application No.: DIS-072528599

Site ID No.: SIT-147789

Please refer to all identification numbers in each correspondence with the Department.

PERMISSION TO START CONSTRUCTION

MUNICIPALITY:

CITY OF LA CROSSE
LA CROSSE COUNTY

SITE:

LA CROSSE VETERINARY CLINIC
HWY 16
LA CROSSE, WI 54601

SUBMITTAL INCLUDES:

Building drain vent sanitary

Diameter (in inches): 4, DFU Load: DFU 21-160:4, Number of Fixtures: 0

Building sewer sanitary

Diameter (in inches): 4, DFU Load: DFU 21-160:4

Water distribution system

Diameter (in inches): 1.5 , GPM Demand: 35 , Number of Fixtures:

Water service

Diameter (in inches): 2, GPM Demand: 35

The Department of Safety and Professional Services has received plumbing plans for review for the subject project, submitted in accordance with the provisions of SPS 382.20(4), accompanied by the owner's request to begin plumbing installations prior to departmental review and approval.

A complete set of plumbing plans and specifications were submitted to the Department on 07-02-2025.

NO REVIEW OF THE SUBMITTED DOCUMENTS FOR CODE COMPLIANCE HAS BEEN UNDERTAKEN BY THE DEPARTMENT AT THIS TIME.

In accordance with the provisions of the owner's signed request to begin construction prior to departmental review and approval, the owner will be required to make any changes after the plans have been reviewed, and to remove or replace non-code complying installations.

Prior to the start of construction, all applicable building permits should be obtained from the local authorities having jurisdiction in accordance with local laws and ordinances. You are responsible for complying with state and federal laws concerning construction near or on wetlands, lakes, and streams. For more information, visit the Department of Natural Resources (DNR) Wetlands Identification web page or contact a DNR service center.

DEPARTMENT CONDITIONS:

1. This permission is specific to plumbing work, as noted above. Plumbing installations of the remainder of the facility shall not take place prior to the departmental review and conditional approval of the plumbing plans.
2. A copy of the plans that were submitted to our agency for which this Permission to Start was issued shall be kept on the jobsite with this letter.
3. Interior installations shall terminate a maximum of 18 inches above the floor slab.

4. The provisions of SPS 382.21, Testing and Inspection, apply.
5. Installations shall comply with requirements for frost protection, crossings, cleanouts, and locating requirements.

Inquiries concerning this correspondence may be made to me at the contact information listed below.

Sincerely,

Rachel Wiltshire
Division of Industry Services
Phone: 608-261-7736
Email: rachel.wiltshire@wisconsin.gov

cc:

LUKE SCHWARTZ, PLUMBING PLAN REVIEWER, EMAIL: LUKE.SCHWARTZ@WISCONSIN.GOV, OFFICE: (608) 789-7893, MOBILE: +1 6085180233
NIKKI ELSÉN, , EMAIL: ELSENN@CITYOFLACROSSE.ORG, OFFICE: , MOBILE:
CHRISTOPHER OLSON, DESIGNER
DALE JACOBSON, OWNER