


8/1/2024 12:46:04 PM

A1-21



8/1/2024 12:46:06 PM

SHEET NOTES	EXTERIOR FINISH SCHEDULE						
	MARK	MATERIAL TYPE	MANUFACTURER	SERIES	SIZE	COLOR	COMMENTS
1. APPLY ALL SIDING PER MANUFACTURER'S RECOMMENDATIONS.	EF-1	TEXTURED FIBERGLASS SHINGLES					
2. PROVIDE TREATED WOOD BLOCKING AND/OR VINYL TRIM AS	EF-2	BOARD & BATTEN SIDING	LP SMARTSIDE			TBD	
NECESSARY AT EXTERIOR LIGHT FIXTURES AND OTHER	EF-3	LAP SIDING	LP SMARTSIDE				
NECESSARY MECHANICAL, ELECTRICAL OR PLUMBING PENETRATIONS. 3. ALL FASCIAS AND SOFFITS TO BE PREFINISHED ALUMINUM.	EF-5	PREFINISHED METAL GUARDRAIL					REFER TO STRUCTURAL NOTE FOR RAILING DESIGN LOADS
4. STANDING SEAM METAL ROOF OVER ENTRANCES.	EF-6	ROOF EDGE FASCIA	ROLLEX		1X8	TBD	
5. PROVIDE CONTINUOUS SOFFIT AND SHINGLE - OVER RIDGE	EF-7	TRIM			1X6	TBD	
VENTS THROUGHOUT.	EF-8	TEXTURED PLANK	LP SMARTSIDE			TBD	
6. THROUGH-WALL FLASHING TO BE LOCATED ABOVE GRADE.	EF-9	TRIM	LP SMARTSIDE		1X4	TBD	
7. SEALANT COLORS TO MATCH ADJACENT FINISHED SURFACES. 8. ATTIC VENTING REQUIREMENTS:	EF-14	ALUMINUM SOFFIT	ROLLEX	FULLY VENTED SOFFIT AT EAVES, SOLID SOFFIT AT RAKES	16"	TBD	CLEAR AREA : 12.96 SQ IN PE LINEAL FOOT
A. 22.27 SQ FT OF VENTING PROVIDED AT EAVE. B. 50% OF VENTING PROVIDED AT RIDGE.	EF-15	SNOW BAR	-	-	-	-	
C. 50% OF TOTAL VENTING PROVIDED.	EF-16	ACCENT BRACKET				TBD	
9. ALL EXTERIOR WINDOW AND DOOR TRIM TO BE EF-9 UNLESS	EF-18	RIDGE VENT	COR-A-VENT	V-600 RIDGE VENT			CLEAR AREA : 20 SQ IN PER LIN

		EXTE	RIOR FINISH SCH	EDULI	E	
MARK	MATERIAL TYPE	MANUFACTURER	SERIES	SIZE	COLOR	COMMENTS
EF-1	TEXTURED FIBERGLASS SHINGLES					
EF-2	BOARD & BATTEN SIDING	LP SMARTSIDE			TBD	
EF-3	LAP SIDING	LP SMARTSIDE				
EF-5	PREFINISHED METAL GUARDRAIL					REFER TO STRUCTURAL NOTES FOR RAILING DESIGN LOADS
EF-6	ROOF EDGE FASCIA	ROLLEX		1X8	TBD	
EF-7	TRIM			1X6	TBD	
EF-8	TEXTURED PLANK	LP SMARTSIDE			TBD	
EF-9	TRIM	LP SMARTSIDE		1X4	TBD	
EF-14	ALUMINUM SOFFIT	ROLLEX	FULLY VENTED SOFFIT AT EAVES, SOLID SOFFIT AT RAKES	16"	TBD	CLEAR AREA : 12.96 SQ IN PER LINEAL FOOT
EF-15	SNOW BAR	-	-	-	-	
EF-16	ACCENT BRACKET				TBD	
EF-18	RIDGE VENT	COR-A-VENT	V-600 RIDGE VENT			CLEAR AREA : 20 SQ IN PER LINEAL FOOT
EF-19	ROOF VENT	COR-A-VENT	ROOF-2-WALL VENT			

	EF-16
	EF-0
	2' - 0" TYP
ROOF BEARING	EF-2
THIRD FLOOR	
THIRD FLOOR	EF-3 EF-3 EF-8
SECOND FLOOR	
109 - 2 1/2	
ENTRY 102' - 11" FIRST FLOOR 100' - 0"	
FIRST_FLOOR	

LOCATED WITHIN BRICK VENEER.

MATCH PROJECTED SURFACES.

COLOR TO MATCH ADJACENT SIDING.


10. PROVIDE 2" INSIDE CORNERS AT ALL SIDING LOCATIONS,

11. AT WALL PROJECTIONS, RETURN ALL FINISHES, FINISHES TO



WEST ELEVATION

1/8" = 1'-0"



THIS DOCUMENT IS THE PROPERTY OF I & S GROUP, INC. AND MAY NOT BE USED, COPIED OR DUPLICATED WITHOUT PRIOR WRITTEN CONSENT.

PROJECT

THREESIXTY REAL ESTATE 10TH AND

DIVISION

	REVISI	ON SCHEDULE	
DATE	D	ESCRIPTION	В
		04.05050	
PROJECT NO.		24-25850	
FILE NAME		31447 12 Unit Arch R24	
DRAWN BY		WAM	
DESIGNED BY		AHV	
REVIEWED BY		KMB	
ORIGINAL ISSU	JE DATE	07/17/2024	
CLIENT PROJE	CT NO		
OLILIVI I NOOL	.01 110.		

EXTERIOR ELEVATIONS

A2-11

8/1/2024 12:46:24 PM